

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft
 NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	1
01						-	1	1
02						1	1	1
03						-	1	1
04						-	-	-
05						-	-	-
06						-	-	-
07						-	-	-
08						-	1	1
09						-	-	-
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TOKUNOSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	1
01						-	1	1
02						-	1	1
03						-	2	2
04						-	1	1
05						-	1	2
06						-	1	1
07						1	1	1
08						-	-	-
09						-	2	2
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TOKUNOSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	3	3
01						-	1	1
02						-	-	1
03						-	1	2
04						-	1	1
05						-	1	1
06						1	1	1
07						1	3	3
08						-	1	2
09						-	-	-
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TOKUNOSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	3	3
01						2	3	6
02						1	3	5
03						1	2	5
04						1	2	4
05						1	3	5
06						1	3	5
07						1	3	3
08						1	3	3
09						-	3	5
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	3	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft
 NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						2	8	15
01						3	8	12
02						4	7	11
03						1	5	8
04						1	5	9
05						1	6	8
06						1	5	7
07						1	6	9
08						2	4	5
09						1	5	9
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2	6	9

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft
 NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						2	7	10
01						-	3	9
02						1	6	7
03						1	3	9
04						1	3	4
05						1	3	6
06						1	6	11
07						2	3	5
08						-	5	7
09						1	5	8
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	4	8

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1)	3)	4)
01						0)	1)	2)
02						0)	1)	1)
03						1	3	3
04						-	1	2
05						1	3	4
06						1	2	3
07						-	1	1
08						-	2	3
09						-	1	2
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0)	2)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TOKUNOSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	1	1
01						1	1	2
02						2	3	3
03						2	3	4
04						1	2	2
05						3	3	3
06						3	6	6
07						2	5	5
08						1	3	3
09						1	3	3
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						2	3	3

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1)	1)	2)
01						1)	1)	2)
02						1)	2)	5)
03						1)	3)	3)
04						2)	4)	4)
05						1	1	1
06						1	1	1
07						1	1	1
08						1	1	1
09						1	1	1
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1)	2)	2)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TOKUNOSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1	2	2
01						1	2	3
02						1	1	1
03						-	3	3
04						-	1	1
05						-	1	1
06						-	1	1
07						1	2	3
08						3	5	5
09						2	3	3
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1	2	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft
 NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	1	1
01						-	1	1
02						-	1	1
03						-	1	1
04						-	-	-
05						-	-	-
06						-	-	-
07						-	-	-
08						-	-	-
09						-	-	-
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						-	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A

AERODROME: TOKUNOSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 10

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						-	-	-
01						-	1	2
02						-	-	-
03						-	-	-
04						-	-	-
05						-	1	2
06						-	3	3
07						-	-	-
08						1	3	3
09						-	1	1
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						0	1	1

NUMBER OF FORWARD SCATTER:

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET), OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR(m) / Hs(ft)					VIS(m) / Hs(ft)		
	-	-	-	-	-	<1500	<3200	<5000
	-	-	-	-	-	<600	<1000	<1500
00						1)	2)	4)
01						1)	2)	3)
02						1)	2)	3)
03						1)	2)	3)
04						1)	2)	2)
05						1	2	3
06						1	2	3
07						1	2	3
08						1	2	3
09						0	2	3
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN						1)	2)	3)

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	1	1					
02	1	1	1					
03	-	1	1					
04	-	-	-					
05	-	-	-					
06	-	-	-					
07	-	-	-					
08	-	1	1					
09	-	-	-					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	1	1					
02	-	1	1					
03	-	2	2					
04	-	1	1					
05	-	1	1					
06	-	1	1					
07	1	1	1					
08	-	-	-					
09	-	2	2					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	3	3					
01	-	1	1					
02	-	-	-					
03	-	1	1					
04	-	1	1					
05	-	1	1					
06	1	1	1					
07	1	3	3					
08	-	1	1					
09	-	-	-					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	2	3					
01	1	2	2					
02	-	1	1					
03	-	1	1					
04	-	1	2					
05	-	2	2					
06	-	3	3					
07	-	2	2					
08	1	2	2					
09	-	3	3					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	2	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	5	6					
01	-	3	3					
02	1	3	3					
03	-	3	4					
04	-	3	5					
05	1	5	5					
06	-	4	4					
07	-	6	6					
08	-	3	3					
09	-	3	5					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	4	5					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	2	6	7					
01	-	3	3					
02	1	5	5					
03	1	3	5					
04	1	2	2					
05	1	3	4					
06	-	6	7					
07	1	2	2					
08	-	3	5					
09	1	4	6					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	4	5					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1)	2)	3)					
01	0)	1)	1)					
02	0)	0)	0)					
03	1	2	2					
04	-	1	1					
05	1	3	3					
06	1	2	2					
07	-	1	1					
08	-	2	2					
09	-	1	1					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0)	1)	2)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	1	1					
01	1	1	2					
02	2	3	3					
03	2	3	4					
04	1	2	2					
05	3	3	3					
06	3	6	6					
07	2	5	5					
08	1	3	3					
09	1	3	3					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	2	3	3					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1)	1)	2)					
01	1)	1)	2)					
02	1)	2)	5)					
03	1)	3)	3)					
04	2)	4)	4)					
05	1	1	1					
06	1	1	1					
07	1	1	1					
08	1	1	1					
09	1	1	1					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1)	2)	2)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1	2	2					
01	1	2	3					
02	1	1	1					
03	-	3	3					
04	-	1	1					
05	-	1	1					
06	-	1	1					
07	1	2	3					
08	3	5	5					
09	2	3	3					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	1	2	2					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	1	1					
01	-	1	1					
02	-	1	1					
03	-	1	1					
04	-	-	-					
05	-	-	-					
06	-	-	-					
07	-	-	-					
08	-	-	-					
09	-	-	-					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	-	0	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	-	-	-					
01	-	1	2					
02	-	-	-					
03	-	-	-					
04	-	-	-					
05	-	1	2					
06	-	3	3					
07	-	-	-					
08	1	3	3					
09	-	1	1					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0	1	1					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
 AERODROME: TOKUNOSHIMA AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<1500	<3200	<5000	-	-	-	-	-
00	1)	2)	3)					
01	0)	2)	2)					
02	0)	2)	2)					
03	0)	2)	2)					
04	0)	1)	2)					
05	0	2	2					
06	0	2	2					
07	1	2	2					
08	0	2	2					
09	0	2	2					
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
MEAN	0)	2)	2)					

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	-			
01	-	-	-	-			
02	-	-	-	-			
03	-	-	-	1			
04	-	-	-	-			
05	-	-	-	-			
06	-	-	-	-			
07	-	-	-	-			
08	-	-	-	-			
09	-	-	-	-			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	-	0			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: FEB
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	1			
01	-	-	-	-			
02	-	-	-	-			
03	-	-	-	-			
04	-	-	-	-			
05	-	-	-	1			
06	-	-	-	-			
07	-	-	-	-			
08	-	-	-	-			
09	-	-	-	-			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	-	0			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: MAR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	-			
01	-	-	-	-			
02	-	-	-	1			
03	-	-	-	1			
04	-	-	-	-			
05	-	-	-	-			
06	-	-	-	1			
07	-	-	-	1			
08	-	-	-	1			
09	-	-	-	-			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	-	0			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: APR
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	1	1	3			
01	-	1	1	5			
02	-	1	2	4			
03	-	1	1	5			
04	-	1	1	2			
05	-	1	1	3			
06	-	1	1	2			
07	-	1	1	1			
08	-	1	1	2			
09	-	-	-	3			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	1	1	3			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	2	4	10			
01	-	3	5	12			
02	-	3	5	9			
03	-	1	2	5			
04	-	1	2	6			
05	-	1	2	5			
06	-	1	1	4			
07	-	1	2	4			
08	-	2	2	3			
09	-	1	2	5			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	1	3	6			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: JUN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	2	6			
01	-	-	1	7			
02	-	-	1	3			
03	-	-	1	5			
04	-	1	1	3			
05	-	-	1	3			
06	-	1	1	6			
07	-	1	1	4			
08	-	-	1	4			
09	-	-	2	4			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	0	1	5			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: JUL
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	0)	0)	1)	1)			
01	0)	0)	1)	1)			
02	0)	0)	1)	1)			
03	-	-	1	1			
04	-	-	-	1			
05	-	-	1	1			
06	-	-	-	1			
07	-	-	-	-			
08	-	-	-	1			
09	-	-	-	1			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	0)	0)	1)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: AUG
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	-			
01	-	-	-	-			
02	-	-	-	-			
03	-	-	-	-			
04	-	-	-	-			
05	-	-	-	-			
06	-	-	-	1			
07	-	-	-	1			
08	-	-	-	-			
09	-	-	-	-			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	-	0			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: SEP
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	0)	0)	0)	1)			
01	0)	0)	0)	0)			
02	0)	0)	0)	1)			
03	0)	0)	0)	1)			
04	0)	0)	0)	1)			
05	-	-	1	1			
06	-	-	1	1			
07	-	-	1	1			
08	-	-	-	1			
09	-	-	-	1			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	0)	0)	1)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	-			
01	-	-	-	-			
02	-	-	-	-			
03	-	-	-	-			
04	-	-	-	-			
05	-	-	-	-			
06	-	-	-	-			
07	-	-	-	-			
08	-	-	-	-			
09	-	-	-	-			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	-	-			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: NOV
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	-			
01	-	-	-	-			
02	-	-	-	1			
03	-	-	-	-			
04	-	-	-	-			
05	-	-	-	-			
06	-	-	-	-			
07	-	-	-	-			
08	-	-	-	-			
09	-	-	-	-			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	-	0			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	-	-	-	-			
01	-	-	-	-			
02	-	-	-	-			
03	-	-	-	-			
04	-	-	-	-			
05	-	-	-	-			
06	-	-	-	-			
07	-	-	-	-			
08	-	-	-	-			
09	-	-	-	-			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	-	-	-	-			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
 AERODROME: TOKUNOSHIMA AIRPORT [ANNUAL]
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 10
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<600	<1000	<1500	-	-	-
00	0)	0)	1)	2)			
01	0)	0)	1)	2)			
02	0)	0)	1)	2)			
03	0)	0)	0)	1)			
04	0)	0)	0)	1)			
05	-	0	0	1			
06	-	0	0	1			
07	-	0	0	1			
08	-	0	0	1			
09	-	0	0	1			
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
MEAN	0)	0)	0)	1)			

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: JAN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												-
VARIABLE	2	0	-	-	-	-	-	-	-	-	-	2
[35-36-01]	1	3	7	5	2	0	0	-	-	-	-	17
[02-03-04]	5	9	4	0	-	-	-	-	-	-	-	18
[05-06-07]	6	3	0	-	-	-	-	-	-	-	-	9
[08-09-10]	8	3	1	-	-	-	-	-	-	-	-	11
[11-12-13]	5	1	0	-	-	-	-	-	-	-	-	7
[14-15-16]	1	1	1	0	-	-	-	-	-	-	-	2
[17-18-19]	0	0	1	1	0	0	-	-	-	-	-	3
[20-21-22]	0	0	0	1	-	-	-	-	-	-	-	2
[23-24-25]	0	0	0	0	-	-	-	-	-	-	-	1
[26-27-28]	0	0	0	0	0	-	-	-	-	-	-	1
[29-30-31]	0	1	1	1	1	0	0	-	-	-	-	4
[32-33-34]	0	2	6	7	6	2	0	0	-	-	-	23
TOTAL	30	25	20	15	8	2	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	1)	4)	7)	6)	2)	0)	0)	0)	0)	0)	0)	19)
[02-03-04]	5)	9)	3)	0)	0)	0)	0)	0)	0)	0)	0)	17)
[05-06-07]	5)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[08-09-10]	7)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[11-12-13]	5)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	7)
[14-15-16]	1)	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	0)	1)	2)	4)	1)	0)	0)	0)	0)	0)	0)	8)
[20-21-22]	0)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	0)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	0)	2)	4)	5)	5)	1)	0)	0)	0)	0)	0)	17)
TOTAL	27)	26)	22)	16)	8)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	1)	4)	7)	4)	2)	0)	0)	0)	0)	0)	0)	17)
[02-03-04]	3)	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	13)
[05-06-07]	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[08-09-10]	6)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[11-12-13]	7)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[14-15-16]	1)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[17-18-19]	0)	3)	6)	4)	0)	0)	0)	0)	0)	0)	0)	13)
[20-21-22]	0)	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	0)	2)	4)	3)	3)	1)	0)	0)	0)	0)	0)	13)
TOTAL	25)	29)	26)	13)	5)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	4	0	-	-	-	-	-	-	-	-	-	4
[35-36-01]	1	3	4	1	0	-	-	-	-	-	-	8
[02-03-04]	2	5	1	-	-	-	-	-	-	-	-	8
[05-06-07]	2	2	0	-	-	-	-	-	-	-	-	4
[08-09-10]	5	5	4	1	0	-	-	-	-	-	-	15
[11-12-13]	7	4	2	0	-	-	-	-	-	-	-	13
[14-15-16]	3	3	2	0	0	-	-	-	-	-	-	8
[17-18-19]	1	6	6	3	0	0	-	-	-	-	-	16
[20-21-22]	1	1	1	0	0	-	-	-	-	-	-	3
[23-24-25]	1	1	0	0	0	-	-	-	-	-	-	2
[26-27-28]	1	1	1	1	0	-	-	-	-	-	-	3
[29-30-31]	1	1	2	1	0	0	-	-	-	-	-	5
[32-33-34]	1	3	3	2	1	1	-	-	-	-	-	11
TOTAL	29	34	25	9	2	1	-	-	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: MAY

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	4	0	0	-	-	-	-	-	-	-	-	5
[35-36-01]	1	3	2	0	0	-	-	-	-	-	-	6
[02-03-04]	3	3	0	-	-	-	-	-	-	-	-	6
[05-06-07]	3	3	2	0	0	0	-	-	-	-	-	8
[08-09-10]	7	8	6	1	1	0	-	-	-	-	-	22
[11-12-13]	6	4	1	0	-	-	-	-	-	-	-	11
[14-15-16]	2	3	1	0	0	-	-	-	-	-	-	6
[17-18-19]	2	5	5	2	0	-	-	-	-	0	-	14
[20-21-22]	1	3	1	0	0	-	-	-	-	-	-	5
[23-24-25]	1	1	0	-	-	-	-	-	-	-	-	3
[26-27-28]	1	1	0	-	-	-	-	-	0	-	-	2
[29-30-31]	1	1	1	0	0	-	0	-	-	-	-	4
[32-33-34]	1	3	2	1	0	-	-	-	-	-	-	7
TOTAL	34	37	22	5	1	0	0	-	0	0	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[35-36-01]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[02-03-04]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[05-06-07]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[08-09-10]	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[11-12-13]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[14-15-16]	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	6)
[17-18-19]	2)	16)	14)	2)	1)	0)	0)	0)	0)	0)	0)	34)
[20-21-22]	1)	6)	7)	2)	0)	0)	0)	0)	0)	0)	0)	16)
[23-24-25]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	23)	39)	30)	7)	1)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[35-36-01]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[02-03-04]	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[05-06-07]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[08-09-10]	7)	6)	3)	1)	0)	0)	0)	0)	0)	0)	0)	18)
[11-12-13]	7)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[14-15-16]	3)	4)	1)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[17-18-19]	1)	10)	11)	2)	1)	0)	0)	0)	0)	0)	0)	26)
[20-21-22]	1)	6)	5)	1)	0)	0)	0)	0)	0)	0)	0)	14)
[23-24-25]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[32-33-34]	1)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
TOTAL	28)	37)	25)	6)	2)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT
WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES

WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	5	0	-	-	-	-	-	-	-	-	-	5
[35-36-01]	0	1	0	0	0	0	-	-	-	-	-	3
[02-03-04]	2	2	1	0	0	-	-	-	-	-	-	4
[05-06-07]	2	1	2	1	0	0	0	0	-	-	-	6
[08-09-10]	10	7	3	1	0	-	0	0	-	-	-	21
[11-12-13]	9	2	1	0	-	-	0	0	-	-	-	13
[14-15-16]	3	3	1	0	0	0	0	0	0	-	-	8
[17-18-19]	1	4	5	2	1	0	0	0	0	0	-	13
[20-21-22]	1	4	1	0	-	0	0	0	-	-	-	7
[23-24-25]	1	2	2	0	0	0	-	-	-	-	-	6
[26-27-28]	1	2	1	0	0	-	-	-	-	-	-	4
[29-30-31]	2	1	1	0	0	0	-	-	-	-	-	4
[32-33-34]	1	2	1	1	0	0	-	-	-	-	-	5
TOTAL	38	32	18	7	2	1	0	1	0	0	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	5)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[35-36-01]	1)	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[02-03-04]	5)	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[05-06-07]	5)	4)	2)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[08-09-10]	11)	9)	3)	0)	0)	0)	0)	0)	0)	0)	0)	24)
[11-12-13]	8)	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	12)
[14-15-16]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[20-21-22]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	1)	3)	3)	1)	1)	0)	0)	0)	0)	0)	0)	8)
TOTAL	42)	33)	17)	5)	2)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	3	0	-	-	-	-	-	-	-	-	-	3
[35-36-01]	1	4	6	2	1	1	0	0	-	-	-	15
[02-03-04]	6	12	4	1	0	0	-	-	-	-	-	23
[05-06-07]	5	8	5	3	1	0	0	0	0	-	-	22
[08-09-10]	7	7	2	1	0	0	0	-	-	-	-	17
[11-12-13]	5	1	0	0	-	0	0	0	-	-	-	6
[14-15-16]	1	0	0	0	0	0	0	-	-	-	-	2
[17-18-19]	0	0	1	0	0	-	-	0	-	-	-	2
[20-21-22]	0	1	1	0	0	-	0	0	-	-	-	2
[23-24-25]	0	0	1	0	0	-	0	0	-	-	-	1
[26-27-28]	0	0	0	-	-	0	-	-	-	-	-	1
[29-30-31]	0	0	0	0	0	0	-	-	-	-	-	1
[32-33-34]	0	1	1	1	1	1	0	0	0	-	-	5
TOTAL	29	34	21	8	3	2	1	1	0	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0)
VARIABLE	4)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[35-36-01]	1)	5)	7)	4)	1)	0)	0)	0)	0)	0)	0)	18)
[02-03-04]	5)	9)	3)	0)	0)	0)	0)	0)	0)	0)	0)	17)
[05-06-07]	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	10)
[08-09-10]	9)	4)	1)	0)	0)	0)	0)	0)	0)	0)	0)	15)
[11-12-13]	7)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[14-15-16]	2)	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[17-18-19]	0)	2)	1)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	0)	2)	3)	5)	2)	0)	0)	0)	0)	0)	0)	13)
TOTAL	36)	31)	18)	11)	3)	0)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT MONTH: DEC

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	TOTAL
CALM												0
VARIABLE	2	-	-	-	-	-	-	-	-	-	-	2
[35-36-01]	1	5	7	4	1	0	0	0	-	-	-	18
[02-03-04]	6	10	1	0	-	-	-	-	-	-	-	17
[05-06-07]	7	2	0	-	-	-	-	-	-	-	-	10
[08-09-10]	7	3	1	-	-	-	-	-	-	-	-	10
[11-12-13]	4	2	0	-	-	-	-	-	-	-	-	7
[14-15-16]	1	1	0	0	0	0	-	-	-	-	-	2
[17-18-19]	0	0	0	1	0	0	0	-	-	-	-	2
[20-21-22]	0	0	0	1	0	-	-	-	-	-	-	1
[23-24-25]	0	0	0	0	0	-	-	-	-	-	-	1
[26-27-28]	0	0	0	0	0	-	-	-	-	-	-	1
[29-30-31]	0	1	0	1	0	0	-	-	-	-	-	3
[32-33-34]	0	3	3	8	9	2	0	-	-	-	-	25
TOTAL	29	29	14	14	11	3	0	0	-	-	-	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D

AERODROME: TOKUNOSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	3)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[35-36-01]	1)	3)	4)	2)	1)	0)	0)	0)	0)	0)	0)	11)
[02-03-04]	4)	6)	2)	0)	0)	0)	0)	0)	0)	0)	0)	11)
[05-06-07]	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	0)	8)
[08-09-10]	7)	5)	2)	1)	0)	0)	0)	0)	0)	0)	0)	16)
[11-12-13]	6)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[14-15-16]	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	1)	4)	5)	2)	0)	0)	0)	0)	0)	0)	0)	12)
[20-21-22]	1)	2)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[23-24-25]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[29-30-31]	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	1)	2)	3)	3)	2)	1)	0)	0)	0)	0)	0)	11)
TOTAL	31)	32)	21)	10)	4)	1)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: JAN
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	1	35	58	6	-	-	-
01	-	-	-	-	-	1	25	65	8	-	-	-
02	-	-	-	-	-	1	23	62	15	-	-	-
03	-	-	-	-	-	1	18	64	17	-	-	-
04	-	-	-	-	-	1	17	66	16	-	-	-
05	-	-	-	-	-	1	19	65	15	-	-	-
06	-	-	-	-	-	1	23	62	15	-	-	-
07	-	-	-	-	-	1	27	59	14	-	-	-
08	-	-	-	-	-	1	32	61	6	-	-	-
09	-	-	-	-	-	1	40	55	4	-	-	-
10	-	-	-	-	-	1	47	49	3	-	-	-
11	-	-	-	-	-	1	50	46	3	-	-	-
12	-	-	-	-	-	1	51	46	3	-	-	-
13	-	-	-	-	-	1	54	44	2	-	-	-
14	-	-	-	-	-	3	54	41	3	-	-	-
15	-	-	-	-	-	3	56	39	2	-	-	-
16	-	-	-	-	-	3	58	37	2	-	-	-
17	-	-	-	-	-	4	57	37	2	-	-	-
18	-	-	-	-	-	6	56	35	2	-	-	-
19	-	-	-	-	-	6	54	39	2	-	-	-
20	-	-	-	-	-	6	54	39	2	-	-	-
21	-	-	-	-	-	7	50	41	2	-	-	-
22	-	-	-	-	-	6	50	41	3	-	-	-
23	-	-	-	-	-	4	51	43	2	-	-	-
MEAN	-	-	-	-	-	2	42	50	6	-	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TOKUNOSHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	38	52	10	-	-	-
01	-	-	-	-	-	-	27	56	17	-	-	-
02	-	-	-	-	-	-	23	58	19	-	-	-
03	-	-	-	-	-	-	22	54	24	-	-	-
04	-	-	-	-	-	-	21	51	27	-	-	-
05	-	-	-	-	-	-	20	52	27	-	-	-
06	-	-	-	-	-	-	23	54	23	-	-	-
07	-	-	-	-	-	-	27	51	21	-	-	-
08	-	-	-	-	-	-	31	50	19	-	-	-
09	-	-	-	-	-	1	39	47	13	-	-	-
10	0)	0)	0)	0)	0)	1)	44)	44)	11)	0)	0)	0)
11	0)	0)	0)	0)	0)	0)	51)	41)	8)	0)	0)	0)
12	0)	0)	0)	0)	0)	1)	53)	38)	8)	0)	0)	0)
13	0)	0)	0)	0)	0)	3)	52)	38)	6)	0)	0)	0)
14	0)	0)	0)	0)	0)	3)	52)	37)	8)	0)	0)	0)
15	0)	0)	0)	0)	0)	4)	52)	35)	9)	0)	0)	0)
16	0)	0)	0)	0)	0)	5)	51)	34)	10)	0)	0)	0)
17	0)	0)	0)	0)	0)	6)	49)	36)	9)	0)	0)	0)
18	0)	0)	0)	0)	0)	7)	49)	35)	9)	0)	0)	0)
19	0)	0)	0)	0)	0)	7)	49)	36)	8)	0)	0)	0)
20	0)	0)	0)	0)	0)	6)	52)	33)	9)	0)	0)	0)
21	-	-	-	-	-	6	54	34	6	-	-	-
22	-	-	-	-	-	6	54	34	7	-	-	-
23	-	-	-	-	-	1	52	41	6	-	-	-
MEAN	0)	0)	0)	0)	0)	2)	41)	43)	13)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TOKUNOSHIMA AIRPORT MONTH: MAR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	10	55	35	-	-	-
01	-	-	-	-	-	-	9	48	43	-	-	-
02	-	-	-	-	-	-	6	48	46	-	-	-
03	-	-	-	-	-	-	8	42	50	-	-	-
04	-	-	-	-	-	-	6	46	48	1	-	-
05	-	-	-	-	-	-	5	48	46	1	-	-
06	-	-	-	-	-	-	6	49	45	1	-	-
07	-	-	-	-	-	-	6	52	43	-	-	-
08	-	-	-	-	-	-	8	53	39	-	-	-
09	-	-	-	-	-	-	10	55	35	-	-	-
10	-	-	-	-	-	-	18	52	30	-	-	-
11	0)	0)	0)	0)	0)	0)	25)	50)	25)	0)	0)	0)
12	0)	0)	0)	0)	0)	0)	25)	52)	23)	0)	0)	0)
13	0)	0)	0)	0)	0)	0)	26)	53)	21)	0)	0)	0)
14	0)	0)	0)	0)	0)	1)	27)	55)	18)	0)	0)	0)
15	0)	0)	0)	0)	0)	3)	28)	53)	16)	0)	0)	0)
16	-	-	-	-	-	3	30	50	18	-	-	-
17	-	-	-	-	-	3	30	50	16	-	-	-
18	-	-	-	-	-	4	30	50	17	-	-	-
19	-	-	-	-	-	4	30	48	18	-	-	-
20	-	-	-	-	-	4	30	48	17	-	-	-
21	-	-	-	-	-	3	30	50	17	-	-	-
22	-	-	-	-	-	2	30	48	19	-	-	-
23	-	-	-	-	-	-	21	55	25	-	-	-
MEAN	0)	0)	0)	0)	0)	1)	19)	50)	30)	0)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TOKUNOSHIMA AIRPORT MONTH: APR

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	27	73	-	-	-
01	-	-	-	-	-	-	-	19	81	1	-	-
02	-	-	-	-	-	-	-	19	75	6	-	-
03	-	-	-	-	-	-	-	19	77	4	-	-
04	-	-	-	-	-	-	-	19	75	7	-	-
05	-	-	-	-	-	-	-	20	71	9	-	-
06	-	-	-	-	-	-	-	19	75	6	-	-
07	-	-	-	-	-	-	-	21	77	3	-	-
08	-	-	-	-	-	-	1	25	73	1	-	-
09	-	-	-	-	-	-	1	32	67	-	-	-
10	-	-	-	-	-	-	2	37	61	-	-	-
11	-	-	-	-	-	-	3	48	49	-	-	-
12	-	-	-	-	-	-	5	46	49	-	-	-
13	-	-	-	-	-	-	5	51	44	-	-	-
14	-	-	-	-	-	-	6	51	43	-	-	-
15	-	-	-	-	-	-	8	50	42	-	-	-
16	-	-	-	-	-	-	10	49	41	-	-	-
17	-	-	-	-	-	-	9	49	43	-	-	-
18	-	-	-	-	-	-	9	51	39	-	-	-
19	-	-	-	-	-	1	6	55	38	-	-	-
20	-	-	-	-	-	-	8	55	37	-	-	-
21	-	-	-	-	-	1	7	55	37	-	-	-
22	-	-	-	-	-	-	5	51	44	-	-	-
23	-	-	-	-	-	-	1	43	56	-	-	-
MEAN	-	-	-	-	-	0	4	38	57	2	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: MAY
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	3	75	21	-	-
01	-	-	-	-	-	-	-	4	64	32	-	-
02	-	-	-	-	-	-	-	3	59	38	-	-
03	-	-	-	-	-	-	-	2	55	43	1	-
04	-	-	-	-	-	-	-	1	53	46	-	-
05	-	-	-	-	-	-	-	1	54	45	-	-
06	-	-	-	-	-	-	-	1	58	41	-	-
07	-	-	-	-	-	-	-	1	63	35	-	-
08	-	-	-	-	-	-	-	4	70	26	-	-
09	-	-	-	-	-	-	-	4	75	21	-	-
10	-	-	-	-	-	-	-	6	80	14	-	-
11	-	-	-	-	-	-	-	10	80	10	-	-
12	-	-	-	-	-	-	-	14	79	8	-	-
13	-	-	-	-	-	-	-	17	75	8	-	-
14	-	-	-	-	-	-	-	21	72	6	-	-
15	-	-	-	-	-	-	-	22	71	7	-	-
16	-	-	-	-	-	-	-	24	70	6	-	-
17	-	-	-	-	-	-	-	25	70	5	-	-
18	-	-	-	-	-	-	1	25	70	5	-	-
19	-	-	-	-	-	-	1	26	68	5	-	-
20	-	-	-	-	-	-	1	25	70	5	-	-
21	-	-	-	-	-	-	1	22	72	5	-	-
22	-	-	-	-	-	-	-	15	79	6	-	-
23	-	-	-	-	-	-	-	5	82	14	-	-
MEAN	-	-	-	-	-	-	0	12	69	19	0	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TOKUNOSHIMA AIRPORT MONTH: JUN

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	1	17	82	1	-
01	-	-	-	-	-	-	-	1	14	78	7	-
02	-	-	-	-	-	-	-	1	17	66	16	-
03	-	-	-	-	-	-	-	1	15	62	21	-
04	-	-	-	-	-	-	-	-	13	62	25	-
05	-	-	-	-	-	-	-	-	13	64	23	-
06	-	-	-	-	-	-	-	-	13	63	24	-
07	-	-	-	-	-	-	-	-	14	67	19	-
08	-	-	-	-	-	-	-	-	13	73	13	-
09	-	-	-	-	-	-	-	-	20	75	5	-
10	0)	0)	0)	0)	0)	0)	0)	0)	30)	69)	1)	0)
11	-	-	-	-	-	-	-	-	34	66	-	-
12	-	-	-	-	-	-	-	-	35	65	-	-
13	-	-	-	-	-	-	-	-	35	65	-	-
14	-	-	-	-	-	-	-	-	36	64	-	-
15	-	-	-	-	-	-	-	-	37	63	-	-
16	-	-	-	-	-	-	-	-	42	58	-	-
17	-	-	-	-	-	-	-	-	43	57	-	-
18	-	-	-	-	-	-	-	-	41	59	-	-
19	-	-	-	-	-	-	-	-	43	57	-	-
20	-	-	-	-	-	-	-	-	41	59	-	-
21	-	-	-	-	-	-	-	-	39	61	-	-
22	-	-	-	-	-	-	-	-	34	66	-	-
23	-	-	-	-	-	-	-	1	28	71	-	-
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	28)	66)	7)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TOKUNOSHIMA AIRPORT MONTH: JUL

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0)	0)	0)	0)	0)	0)	0)	0)	1)	67)	32)	0)
01	0)	0)	0)	0)	0)	0)	0)	0)	1)	42)	57)	0)
02	0)	0)	0)	0)	0)	0)	0)	0)	0)	31)	69)	0)
03	-	-	-	-	-	-	-	-	1	26	74	-
04	-	-	-	-	-	-	-	-	-	23	77	-
05	-	-	-	-	-	-	-	-	-	20	80	-
06	-	-	-	-	-	-	-	-	-	24	76	-
07	-	-	-	-	-	-	-	-	-	26	74	-
08	-	-	-	-	-	-	-	-	-	35	65	-
09	-	-	-	-	-	-	-	-	-	60	40	-
10	-	-	-	-	-	-	-	-	-	88	12	-
11	-	-	-	-	-	-	-	-	1	97	2	-
12	0)	0)	0)	0)	0)	0)	0)	0)	0)	99)	1)	0)
13	-	-	-	-	-	-	-	-	-	99	1	-
14	-	-	-	-	-	-	-	-	1	99	-	-
15	-	-	-	-	-	-	-	-	1	99	-	-
16	0)	0)	0)	0)	0)	0)	0)	0)	3)	97)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	0)	5)	95)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	0)	3)	97)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	0)	6)	94)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	0)	5)	95)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	0)	6)	94)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	0)	1)	99)	0)	0)
23	0)	0)	0)	0)	0)	0)	0)	0)	1)	93)	6)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	1)	71)	28)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TOKUNOSHIMA AIRPORT MONTH: AUG

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	-	63	37	-
01	-	-	-	-	-	-	-	-	1	42	57	-
02	-	-	-	-	-	-	-	-	1	26	73	-
03	-	-	-	-	-	-	-	-	1	26	72	-
04	-	-	-	-	-	-	-	-	1	26	73	-
05	-	-	-	-	-	-	-	-	-	23	77	-
06	-	-	-	-	-	-	-	-	-	26	74	-
07	0)	0)	0)	0)	0)	0)	0)	0)	0)	33)	67)	0)
08	-	-	-	-	-	-	-	-	-	45	55	-
09	-	-	-	-	-	-	-	-	-	64	36	-
10	0)	0)	0)	0)	0)	0)	0)	0)	0)	89)	11)	0)
11	0)	0)	0)	0)	0)	0)	0)	0)	1)	97)	2)	0)
12	-	-	-	-	-	-	-	-	1	99	1	-
13	0)	0)	0)	0)	0)	0)	0)	0)	1)	98)	1)	0)
14	0)	0)	0)	0)	0)	0)	0)	0)	1)	98)	1)	0)
15	-	-	-	-	-	-	-	-	3	97	-	-
16	-	-	-	-	-	-	-	-	3	97	-	-
17	-	-	-	-	-	-	-	-	3	97	-	-
18	-	-	-	-	-	-	-	-	2	98	-	-
19	-	-	-	-	-	-	-	-	4	96	-	-
20	-	-	-	-	-	-	-	-	4	96	-	-
21	-	-	-	-	-	-	-	-	4	96	-	-
22	-	-	-	-	-	-	-	-	1	99	-	-
23	-	-	-	-	-	-	-	-	-	90	10	-
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	1)	72)	27)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TOKUNOSHIMA AIRPORT MONTH: SEP

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0)	0)	0)	0)	0)	0)	0)	0)	1)	87)	11)	0)
01	0)	0)	0)	0)	0)	0)	0)	0)	1)	72)	27)	0)
02	0)	0)	0)	0)	0)	0)	0)	0)	1)	62)	37)	0)
03	0)	0)	0)	0)	0)	0)	0)	0)	1)	56)	43)	0)
04	0)	0)	0)	0)	0)	0)	0)	0)	2)	54)	44)	0)
05	-	-	-	-	-	-	-	-	1	56	43	-
06	-	-	-	-	-	-	-	-	1	61	39	-
07	-	-	-	-	-	-	-	-	1	71	27	-
08	-	-	-	-	-	-	-	-	2	85	13	-
09	-	-	-	-	-	-	-	-	3	93	5	-
10	-	-	-	-	-	-	-	-	3	96	1	-
11	-	-	-	-	-	-	-	-	6	94	-	-
12	-	-	-	-	-	-	-	-	11	89	-	-
13	-	-	-	-	-	-	-	-	12	88	-	-
14	-	-	-	-	-	-	-	-	17	83	-	-
15	-	-	-	-	-	-	-	-	23	77	-	-
16	0)	0)	0)	0)	0)	0)	0)	0)	22)	78)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	0)	23)	77)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	0)	27)	73)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	0)	30)	70)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	0)	30)	70)	0)	0)
21	0)	0)	0)	0)	0)	0)	0)	0)	30)	70)	0)	0)
22	0)	0)	0)	0)	0)	0)	0)	0)	19)	81)	0)	0)
23	0)	0)	0)	0)	0)	0)	0)	0)	3)	97)	0)	0)
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	11)	77)	12)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: OCT
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	-	-	36	64	-	-
01	-	-	-	-	-	-	-	1	26	71	1	-
02	-	-	-	-	-	-	-	-	17	79	4	-
03	-	-	-	-	-	-	-	-	15	78	6	-
04	-	-	-	-	-	-	-	-	17	77	6	-
05	-	-	-	-	-	-	-	-	18	77	5	-
06	-	-	-	-	-	-	-	-	24	72	4	-
07	-	-	-	-	-	-	-	1	30	66	3	-
08	-	-	-	-	-	-	-	-	41	59	1	-
09	-	-	-	-	-	-	-	1	48	52	-	-
10	-	-	-	-	-	-	-	1	54	45	-	-
11	-	-	-	-	-	-	-	1	57	42	-	-
12	-	-	-	-	-	-	-	2	60	38	-	-
13	-	-	-	-	-	-	-	2	62	36	-	-
14	-	-	-	-	-	-	-	3	61	36	-	-
15	-	-	-	-	-	-	-	5	63	32	-	-
16	-	-	-	-	-	-	-	7	61	32	-	-
17	-	-	-	-	-	-	-	7	61	32	-	-
18	-	-	-	-	-	-	-	8	61	32	-	-
19	-	-	-	-	-	-	-	8	60	32	-	-
20	-	-	-	-	-	-	-	9	61	30	-	-
21	-	-	-	-	-	-	-	6	67	26	-	-
22	-	-	-	-	-	-	-	6	61	32	-	-
23	-	-	-	-	-	-	-	1	50	49	-	-
MEAN	-	-	-	-	-	-	-	3	46	50	1	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TOKUNOSHIMA AIRPORT MONTH: NOV

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	1	22	69	8	-	-
01	-	-	-	-	-	-	1	16	70	13	-	-
02	-	-	-	-	-	-	1	11	68	21	-	-
03	-	-	-	-	-	-	-	13	65	21	-	-
04	-	-	-	-	-	-	1	10	68	21	-	-
05	-	-	-	-	-	-	-	13	65	23	-	-
06	-	-	-	-	-	-	-	15	67	18	-	-
07	-	-	-	-	-	-	-	21	66	13	-	-
08	-	-	-	-	-	-	-	27	65	9	-	-
09	-	-	-	-	-	-	-	32	63	5	-	-
10	0)	0)	0)	0)	0)	0)	1)	36)	60)	3)	0)	0)
11	0)	0)	0)	0)	0)	0)	1)	41)	55)	3)	0)	0)
12	0)	0)	0)	0)	0)	0)	2)	42)	54)	1)	0)	0)
13	0)	0)	0)	0)	0)	0)	3)	43)	54)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	3)	44)	52)	1)	0)	0)
15	0)	0)	0)	0)	0)	0)	5)	47)	48)	1)	0)	0)
16	0)	0)	0)	0)	0)	0)	4)	43)	52)	1)	0)	0)
17	0)	0)	0)	0)	0)	0)	6)	41)	52)	1)	0)	0)
18	0)	0)	0)	0)	0)	0)	6)	41)	52)	1)	0)	0)
19	0)	0)	0)	0)	0)	0)	5)	46)	48)	1)	0)	0)
20	0)	0)	0)	0)	0)	0)	7)	48)	44)	1)	0)	0)
21	0)	0)	0)	0)	0)	0)	7)	45)	47)	1)	0)	0)
22	-	-	-	-	-	-	8	46	45	1	-	-
23	-	-	-	-	-	-	3	37	59	1	-	-
MEAN	0)	0)	0)	0)	0)	0)	3)	32)	58)	7)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
 AERODROME: TOKUNOSHIMA AIRPORT MONTH: DEC
 PERIOD OF RECORD: 2012-2016
 TOTAL NUMBER OF OBSERVATIONS: 24
 LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	-	-	-	-	-	-	9	70	21	-	-	-
01	-	-	-	-	-	-	8	63	30	-	-	-
02	-	-	-	-	-	-	6	58	34	1	-	-
03	-	-	-	-	-	-	5	59	35	1	-	-
04	-	-	-	-	-	-	5	60	35	-	-	-
05	-	-	-	-	-	-	5	62	32	1	-	-
06	-	-	-	-	-	-	8	65	27	1	-	-
07	-	-	-	-	-	-	9	65	26	-	-	-
08	-	-	-	-	-	-	10	69	21	-	-	-
09	-	-	-	-	-	-	14	70	16	-	-	-
10	-	-	-	-	-	-	17	70	13	-	-	-
11	-	-	-	-	-	-	24	65	12	-	-	-
12	-	-	-	-	-	1	25	63	11	-	-	-
13	-	-	-	-	-	1	28	58	14	-	-	-
14	-	-	-	-	-	1	28	59	12	-	-	-
15	-	-	-	-	-	-	30	57	12	-	-	-
16	-	-	-	-	-	-	32	52	16	-	-	-
17	-	-	-	-	-	1	32	54	14	-	-	-
18	-	-	-	-	-	2	33	50	15	-	-	-
19	-	-	-	-	-	2	34	51	14	-	-	-
20	-	-	-	-	-	2	32	51	15	-	-	-
21	-	-	-	-	-	1	32	54	12	-	-	-
22	-	-	-	-	-	2	27	63	8	-	-	-
23	-	-	-	-	-	1	30	58	11	-	-	-
MEAN	-	-	-	-	-	1	20	60	19	0	-	-

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: TOKUNOSHIMA AIRPORT [ANNUAL]

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5 AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE ()											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	35
00	0)	0)	0)	0)	0)	0)	8)	24)	29)	33)	7)	0)
01	0)	0)	0)	0)	0)	0)	6)	23)	30)	29)	13)	0)
02	0)	0)	0)	0)	0)	0)	5)	22)	29)	28)	17)	0)
03	0)	0)	0)	0)	0)	0)	4)	21)	30)	27)	18)	0)
04	0)	0)	0)	0)	0)	0)	4)	21)	29)	27)	19)	0)
05	-	-	-	-	-	0	4	22	29	26	19	-
06	-	-	-	-	-	0	5	22	29	26	18	-
07	0)	0)	0)	0)	0)	0)	6)	22)	30)	26)	16)	0)
08	-	-	-	-	-	0	7	24	29	28	12	-
09	-	-	-	-	-	0	9	25	29	31	7	-
10	0)	0)	0)	0)	0)	0)	11)	25)	29)	34)	2)	0)
11	0)	0)	0)	0)	0)	0)	13)	25)	28)	34)	0)	0)
12	0)	0)	0)	0)	0)	0)	13)	25)	28)	34)	0)	0)
13	0)	0)	0)	0)	0)	0)	14)	25)	27)	33)	0)	0)
14	0)	0)	0)	0)	0)	1)	14)	26)	27)	33)	0)	0)
15	0)	0)	0)	0)	0)	1)	15)	26)	27)	32)	0)	0)
16	0)	0)	0)	0)	0)	1)	15)	24)	28)	31)	0)	0)
17	0)	0)	0)	0)	0)	1)	15)	25)	28)	31)	0)	0)
18	0)	0)	0)	0)	0)	2)	15)	25)	28)	31)	0)	0)
19	0)	0)	0)	0)	0)	2)	15)	26)	28)	30)	0)	0)
20	0)	0)	0)	0)	0)	1)	15)	26)	28)	30)	0)	0)
21	0)	0)	0)	0)	0)	2)	15)	26)	28)	30)	0)	0)
22	0)	0)	0)	0)	0)	1)	14)	25)	27)	32)	0)	0)
23	0)	0)	0)	0)	0)	0)	13)	24)	27)	35)	1)	0)
MEAN	0)	0)	0)	0)	0)	1)	11)	24)	28)	30)	6)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	15.4	15.9	17.8	20.3	22.9	26.3	28.8	28.7	27.3)	24.9	20.9	17.3	22.1)
Daily maximum air temperature(°C)	18.4	18.9	20.9	23.2	25.8	28.9	31.8	31.7	30.4)	27.7	24.0	20.2	25.0)
Daily minimum air temperature(°C)	12.3	12.7	14.8	17.5	20.3	24.3	26.4	26.2	24.6)	22.3	17.9	14.1	19.3)
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	81.1	79.7	123.8	161.6	200.4	373.9	210.6	251.1	219.0)	183.7	114.2	92.4	2150.9)
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	1002.7	1004.7	1004.2	997.6	997.4	985.6	985.3	973.9	969.8	980.4	1007.2	1002.7	969.8
Daily maximum air temperature(°C)	24.4	24.2	26.1	27.2	30.3	32.6	33.8	34.4	33.7	32.6	28.7	25.6	34.4
Daily minimum air temperature(°C)	4.6	6.9	7.3	9.3	13.7	17.6	22.9	22.5	20.7	15.4	10.1	7.2	4.6
Daily precipitation(mm)	50.0	44.0	67.0	183.0	85.5	168.5	142.0	208.5	289.5	278.0	121.5	44.0	289.5
Daily max.one-hour precipitation(mm)	18.5	21.0	36.5	57.5	25.5	47.5	45.0	43.0	55.5	59.5	77.5	18.5	77.5
Daily max.ten-minute precipitation(mm)	10.0	9.5	14.0	19.0	11.5	15.0	15.0	15.0	14.0	15.5	18.0	8.0*	19.0
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	37	31	32	32	53	33	43	52	81	45 *	28	42	81
with wind direction(36DIR.)	35	23	34	33	19	28	23	18	35	11	34	35	35
Daily maximum peak gust(kt)	51	42	54	40	71	52	64	81	101	80	39	53	101
with wind direction(36DIR.)	32	24	23	32	19	6	13	10	35	8	26	35	35

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
25.0°C	-	-	-	-	0.4	12.4	26.6	26.8	13.0)	3.4	-	-	78.3)
Daily mean air temperature < 0.0°C	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
25.0°C	-	-	-	-	4.2	22.0	30.6	30.6	28.8)	15.8	0.4	-	126.8)
Daily maximum air temperature < 0.0°C	-	-	-	-	-	-	-	-	0.0)	-	-	-	0.0)
25.0°C	-	-	0.8	6.6	22.6	28.2	30.8	30.6	30.0)	28.6	10.8	1.2	186.0)
30.0°C	-	-	-	-	0.2	12.0	27.8	28.0	19.8)	4.4	-	-	88.5)
Daily precipitation 0.0mm	21.0	18.8	19.8	22.6	24.0	22.8	17.4	22.8	19.5)	22.8	21.0	23.0	239.0)
1.0mm	9.8	10.4	10.2	11.2	12.2	13.8	8.0	12.6	9.8)	10.2	9.0	9.0	122.5)
5.0mm	4.4	4.2	6.4	6.2	8.4	10.0	5.0	8.2	6.0)	5.2	4.8	4.2	70.3)
10.0mm	3.4	2.6	4.2	4.2	6.6	8.6	3.8	5.6	3.3)	3.0	3.6	3.2	49.8)
30.0mm	0.4	0.6	1.0	1.6	2.8	4.0	2.6	2.2	1.3)	1.2	1.0	1.0	21.0)
50.0mm	0.2	-	0.4	0.6	0.2	2.4	1.8	1.6	1.0)	0.8	0.2	-	10.3)
70.0mm	-	-	-	0.4	0.2	1.8	0.6	1.2	0.5)	0.6	0.2	-	6.5)
100.0mm	-	-	-	0.2	-	0.2	0.2	0.6	0.5)	0.4	0.2	-	2.5)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily max.depth of snow cover	0cm													
	5cm													
	10cm													
	20cm													
	50cm													
	100cm													
Daily maximum wind speed	200cm													
	20kt	12.8	12.8	11.4	8.2	4.2	6.2	4.8	5.8	3.8)	7.4	8.6	13.6	102.8)
	30kt	2.2	0.4	1.0	0.6	0.2	0.4	1.4	1.2	1.0)	2.6	-	2.0	14.0)
	40kt	-	-	-	-	0.2	-	0.4	0.8	0.5)	1.4	-	0.2	4.3)
	50kt	-	-	-	-	0.2	-	-	0.2	0.5)	-	-	-	1.0)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

AIR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1021.5	1020.3	1018.7	1014.8	1011.1	1007.6	1009.0	1006.9	1010.3	1013.7	1018.9	1021.0	1014.5
01	1021.8	1020.4	1018.9	1015.0	1011.2	1007.7	1009.0	1007.1	1010.4	1013.8	1019.1	1021.2	1014.6
02	1021.5	1020.3	1018.7	1014.9	1011.2	1007.7	1009.0	1007.0	1010.2	1013.5	1018.7	1020.9	1014.4
03	1020.8	1019.7	1018.3	1014.6	1011.0	1007.5	1008.8	1006.7	1009.8	1013.0	1018.1	1020.2	1014.0
04	1019.9	1019.0	1017.7	1014.1	1010.6	1007.2	1008.5	1006.4	1009.3	1012.3	1017.4	1019.4	1013.5
05	1019.4	1018.4	1017.1	1013.6	1010.2	1006.9	1008.2	1006.1	1008.9	1011.8	1016.9	1018.9	1013.0
06	1019.2	1018.1	1016.8	1013.2	1009.9	1006.7	1007.9	1005.7	1008.5	1011.7	1016.8	1018.8	1012.8
07	1019.3	1018.1	1016.7	1013.0	1009.7	1006.6	1007.7	1005.6	1008.5	1011.8	1016.9	1018.9	1012.7
08	1019.6	1018.4	1016.8	1013.1	1009.7	1006.5	1007.6	1005.6	1008.6	1012.0	1017.2	1019.2	1012.8
09	1020.0	1018.7	1017.1	1013.3	1009.9	1006.6	1007.6	1005.7	1008.9	1012.2	1017.5	1019.6	1013.1
10	1020.4	1019.1	1017.5	1013.7	1010.2	1006.9	1007.8	1005.9	1009.3	1012.7	1017.9	1020.1	1013.5
11	1020.8	1019.6	1018.0	1014.0	1010.6	1007.3	1008.2	1006.4	1009.8	1013.1	1018.2	1020.4	1013.9
12	1020.9	1019.8	1018.4	1014.4	1011.1	1007.7	1008.6	1006.8	1010.3	1013.4	1018.5	1020.6	1014.2
13	1020.9	1019.9	1018.5	1014.7	1011.3	1008.0	1008.9	1007.1	1010.4	1013.5	1018.5	1020.7	1014.4
14	1020.9	1019.8	1018.4	1014.7	1011.3	1008.0	1009.0	1007.0	1010.3	1013.4	1018.5	1020.6	1014.3
15	1020.7	1019.7	1018.3	1014.5	1011.0	1007.7	1008.8	1006.9	1010.2	1013.1	1018.3	1020.4	1014.1
16	1020.5	1019.6	1018.1	1014.3	1010.7	1007.3	1008.6	1006.4	1009.8	1012.7	1018.0	1020.0	1013.9
17	1020.4	1019.4	1017.8	1013.9	1010.3	1006.9	1008.3	1006.1	1009.5	1012.5	1017.8	1019.8	1013.6
18	1020.1	1019.1	1017.3	1013.6	1010.0	1006.7	1008.0	1005.8	1009.2	1012.2	1017.5	1019.6	1013.3
19	1019.9	1018.9	1017.1	1013.4	1010.0	1006.6	1008.0	1005.8	1009.1	1012.1	1017.3	1019.4	1013.1
20	1019.9	1018.8	1017.2	1013.5	1010.0	1006.7	1008.1	1005.9	1009.1	1012.1	1017.3	1019.3	1013.2
21	1020.2	1019.0	1017.5	1013.7	1010.3	1006.9	1008.3	1006.0	1009.4	1012.4	1017.5	1019.7	1013.4
22	1020.7	1019.5	1017.9	1014.2	1010.6	1007.2	1008.6	1006.4	1009.7	1012.8	1018.1	1020.2	1013.8
23	1021.1	1019.9	1018.4	1014.6	1010.9	1007.5	1008.8	1006.7	1010.0	1013.3	1018.5	1020.6	1014.2
MEAN	1020.4	1019.3	1017.8	1014.0	1010.5	1007.2	1008.4	1006.3	1009.6	1012.7	1017.9	1020.0	1013.7

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

AIR TEMPERATURE() AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	15.8	16.2	18.4	21.0	23.5	26.7	29.4	29.5	28.2	25.6	21.7	17.8	22.8
01	16.5	16.8	18.9	21.4	24.0	27.1	29.9	30.0	28.8	26.1	22.3	18.3	23.4
02	16.9	17.1	19.3	21.8	24.3	27.4	30.3	30.4	29.2	26.5	22.7	18.7	23.7
03	17.1	17.4	19.6	21.9	24.5	27.6	30.5	30.4	29.4	26.7	22.8	19.0	23.9
04	17.1	17.6	19.8	22.0	24.7	27.8	30.7	30.6	29.5	26.7	22.9	18.9	24.0
05	17.1	17.5	19.7	22.0	24.6	27.8	30.7	30.6	29.5	26.6	22.9	18.9	24.0
06	17.0	17.4	19.6	21.9	24.4	27.7	30.6	30.4	29.3	26.4	22.6	18.6	23.8
07	16.7	17.1	19.3	21.6	24.3	27.4	30.5	30.2	29.0	26.0	22.2	18.3	23.6
08	16.1	16.7	18.8	21.2	23.9	27.2	30.0	29.8	28.4	25.6	21.6	17.8	23.1
09	15.6	16.2	18.2	20.7	23.4	26.8	29.5	29.3	27.8	25.0	21.0	17.3	22.6
10	15.2	15.8	17.7	20.2	22.9	26.3	28.9	28.7	27.3	24.7	20.6	17.2	22.1
11	15.2	15.5	17.4	19.9	22.5	26.0	28.4	28.3	26.9	24.5	20.4	17.0	21.8
12	15.0	15.3	17.2	19.7	22.3	25.8	28.1	28.0	26.7	24.3	20.2	16.8	21.6
13	14.8	15.2	17.0	19.6	22.2	25.7	27.9	27.9	26.5	24.2	20.0	16.5	21.5
14	14.6	15.2	16.8	19.4	22.0	25.6	27.7	27.7	26.5	24.1	20.0	16.5	21.4
15	14.5	15.1	16.7	19.3	21.9	25.6	27.6	27.6	26.2	24.0	19.8	16.4	21.2
16	14.3	15.0	16.6	19.1	21.8	25.3	27.5	27.5	26.2	23.9	19.9	16.5	21.1
17	14.2	15.0	16.5	19.1	21.6	25.3	27.4	27.4	26.1	23.8	19.8	16.4	21.0
18	14.3	14.8	16.5	19.0	21.5	25.3	27.3	27.3	26.0	23.7	19.7	16.4	21.0
19	14.3	14.8	16.5	19.0	21.5	25.3	27.2	27.2	25.9	23.6	19.7	16.3	20.9
20	14.4	14.8	16.5	18.9	21.4	25.3	27.1	27.1	25.8	23.6	19.5	16.3	20.9
21	14.4	14.7	16.5	19.0	21.5	25.3	27.1	27.1	25.8	23.6	19.6	16.4	20.9
22	14.4	14.8	16.6	19.4	22.2	25.7	27.9	27.8	26.3	23.8	19.6	16.4	21.3
23	14.7	15.3	17.6	20.2	23.0	26.2	28.8	28.8	27.5	24.8	20.5	16.6	22.0
MEAN	15.4	15.9	17.8	20.3	22.9	26.3	28.8	28.7	27.4	24.9	20.9	17.3	22.2

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

VAPOR PRESSURE(hPa) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	11.8	12.9	14.7	18.3	22.5	29.5	31.5	31.2	28.2	22.9	17.4	13.2	21.2
01	11.8	12.8	14.7	18.2	22.7	29.5	31.5	31.3	28.1	23.0	17.4	13.2	21.2
02	11.8	12.9	14.8	18.2	22.6	29.7	31.8	31.3	28.3	23.1	17.4	13.1	21.3
03	11.8	13.0	14.8	18.2	22.6	29.6	31.7	31.4	28.3	23.1	17.4	13.2	21.3
04	11.8	12.9	14.8	18.2	22.8	29.7	31.7	31.3	28.3	23.1	17.4	13.2	21.2
05	11.9	13.0	14.8	18.3	22.7	29.8	31.7	31.3	28.3	23.0	17.4	13.2	21.3
06	11.9	13.0	14.7	18.2	22.6	29.7	31.6	31.0	28.1	23.0	17.3	13.2	21.2
07	11.8	13.0	14.7	18.1	22.4	29.6	31.6	31.0	28.0	22.9	17.2	13.1	21.1
08	11.9	12.9	14.6	18.1	22.3	29.5	31.5	31.0	28.0	22.9	17.3	13.1	21.1
09	11.9	12.9	14.6	18.0	22.5	29.4	31.4	30.8	27.7	22.8	17.2	13.1	21.0
10	11.8	13.0	14.6	18.0	22.4	29.3	31.5	30.8	28.0	22.7	17.2	13.0	21.0
11	11.9	12.8	14.5	18.1	22.4	29.2	31.5	30.8	27.9	22.8	17.2	12.9	21.0
12	11.8	12.8	14.6	18.0	22.4	29.2	31.5	30.8	27.9	22.7	17.1	12.8	21.0
13	11.7	12.8	14.5	18.0	22.4	29.1	31.5	30.8	27.8	22.8	17.0	12.8	20.9
14	11.6	12.8	14.4	17.9	22.4	29.1	31.4	30.7	27.9	22.7	17.0	12.8	20.9
15	11.6	12.8	14.4	17.9	22.3	29.1	31.5	30.7	27.8	22.6	17.0	12.7	20.9
16	11.5	12.7	14.4	17.8	22.1	28.9	31.3	30.7	27.8	22.8	17.1	13.0	20.9
17	11.5	12.7	14.4	17.9	22.0	29.0	31.3	30.7	27.8	22.7	17.2	12.9	20.9
18	11.5	12.7	14.4	17.9	22.0	29.0	31.3	30.7	27.7	22.8	17.1	13.0	20.9
19	11.5	12.7	14.4	17.9	22.0	29.0	31.2	30.6	27.6	22.7	17.1	12.9	20.8
20	11.6	12.7	14.4	17.9	21.9	29.0	31.1	30.5	27.5	22.6	17.0	13.0	20.8
21	11.6	12.6	14.4	17.9	22.1	29.0	31.0	30.6	27.5	22.6	17.1	12.9	20.8
22	11.6	12.6	14.5	18.1	22.4	29.3	31.5	31.1	28.0	22.7	17.0	13.0	21.0
23	11.7	12.8	14.8	18.3	22.5	29.3	31.5	31.4	28.4	23.0	17.5	13.1	21.2
MEAN	11.7	12.8	14.6	18.1	22.4	29.3	31.5	31.0	28.0	22.8	17.2	13.0	21.0

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

RELATIVE HUMIDITY (%) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	65	68	68	72	77	84	77	76	74	69	66	64	72
01	62	65	65	70	76	82	75	74	71	68	63	61	69
02	60	65	64	69	74	81	73	73	70	66	62	60	68
03	59	64	63	68	73	80	73	73	69	65	62	59	68
04	60	63	62	68	73	79	72	72	69	65	61	59	67
05	60	63	63	68	73	79	72	72	69	65	61	59	67
06	61	64	63	68	73	80	72	72	69	66	62	61	68
07	61	65	64	69	74	80	73	73	70	67	63	61	69
08	64	66	66	71	75	81	74	74	72	69	65	63	70
09	66	68	68	73	77	83	76	76	74	71	68	65	72
10	67	70	69	74	79	85	79	79	77	72	70	65	74
11	68	71	71	76	81	86	82	80	78	73	70	66	75
12	68	71	72	77	82	87	83	82	79	74	71	66	76
13	68	72	72	77	83	87	84	83	80	74	71	66	77
14	69	72	73	78	84	88	84	83	81	75	72	67	77
15	69	72	73	79	84	88	85	83	81	75	72	67	78
16	69	72	73	79	84	89	86	84	82	76	72	68	78
17	69	72	74	79	84	89	86	84	82	76	73	67	78
18	69	73	74	80	84	89	86	85	82	77	74	68	78
19	69	73	74	79	85	89	87	85	83	77	73	68	79
20	69	73	74	80	84	89	87	85	82	77	73	69	79
21	69	73	74	80	85	89	86	85	83	77	74	68	79
22	69	73	74	79	83	88	84	83	82	76	74	68	78
23	68	72	71	76	80	85	80	79	77	73	71	68	75
MEAN	66	69	69	75	80	85	80	79	76	72	69	65	74

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

MOST FREQUENT WIND DIRECTION(36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	34 *	2	2 *	17	18	18	18)	18	9)	2	2	33 *	18)
01	3	33	34 *	18	9	18	18)	18 *	9)	9	1	33	18)
02	35 *	33	18	9	9	18	18)	8	9)	2	2	34	34)
03	34	34	35	18	9	18	18	8	9)	6	34	34	34)
04	34	34	35	18 *	18	18	18	8	9)	6	35	33	34)
05	34	34	34	18	9	18	18	9 *	9 *	2	35 *	34 *	34
06	34	34	34	9	9	18	18	9	8	2	1	34	34
07	34	33	34	18	9	18	18	8	34	2	2	33	34
08	35	2	34	18	8	18	18	19	8	2	2	35	35
09	35	2	34	17	9	18	18	10	36	6	2	34	2
10	33	2)	2	11 *	9	18)	18	10	10	7	7)	33	2)
11	35	2)	35)	12	9	18	18	10	8	2	2)	34	10)
12	34 *	2)	2)	11	9	18	18)	10	10	6	8)	34	10)
13	33	2)	11)	11	9	17	10	10	9	2	2)	34	10)
14	2	3)	34)	12	11	17	18	10	11	6	2)	34	11)
15	34	2)	12)	12 *	9	18 *	18	10 *	12	5	2)	34 *	10)
16	35	2)	11	11	9	18	19)	11	10)	2	2)	33	10)
17	2	2)	2	12	10 *	18	18)	10	11)	1	11)	33	10)
18	34 *	2)	36	11	9 *	18 *	10)	10 *	10)	2	8)	33	10)
19	34 *	36	2	11	10	18	10)	11	10)	2	35)	33	10)
20	35	36 *	2	10	17	17	10)	10	10)	6 *	1)	33	10)
21	33	1	35	17	11	17	10)	10	10)	2	2)	33	10)
22	35	11	2	17	17	18	17)	10	10)	3 *	3	33	10)
23	34	2	2	17	17	18	17)	17 *	9)	2	2	33	2)
ALL	34	2)	34)	17	9	18)	18)	10	9)	2	2)	33	9)

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

WIND SPEED(kt) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	10.5	10.0	11.1	9.5	8.8	9.8	9.5	9.0	8.2	10.2	8.9	10.6	9.7
01	10.8	10.8	11.6	10.0	9.6	10.1	10.0	9.9	8.9	10.7	9.4	11.0	10.2
02	11.4	11.6	12.1	10.5	9.8	10.0	10.4	10.3	9.5	11.3	9.9	11.6	10.7
03	12.1	12.0	12.4	11.2	10.2	10.3	10.7	10.4	10.0	11.7	10.3	11.7	11.1
04	12.2	12.1	12.3	11.2	10.3	10.5	10.8	10.5	10.5	12.0	10.2	11.9	11.2
05	12.2	12.4	12.4	11.0	10.0	10.5	10.7	10.8	10.5	11.9	10.3	12.4	11.3
06	12.3	12.6	12.5	10.9	10.0	10.3	10.4	10.6	10.1	11.8	10.2	12.4	11.2
07	12.2	12.3	11.8	10.6	9.7	10.1	10.3	10.3	9.9	11.4	9.8	12.6	10.9
08	11.3	11.9	11.5	10.0	9.2	9.6	10.1	9.9	9.1	10.9	9.1	11.9	10.4
09	10.7	11.1	10.9	9.3	8.8	9.3	9.7	9.2	8.3	9.9	8.6	11.5	9.8
10	10.7	10.8	9.8	8.7	7.9	8.9	8.7	8.2	7.4	9.7	8.4	11.3	9.2
11	10.5	10.4	9.5	8.4	7.3	8.6	8.1	7.5	6.8	9.4	8.2	11.0	8.8
12	10.3	10.1	9.7	8.3	6.9	8.4	7.7	7.3	6.6	9.2	8.1	10.6	8.6
13	10.3	10.0	9.3	8.1	6.9	8.3	7.9	7.2	6.6	9.3	8.3	10.3	8.5
14	9.9	9.9	9.2	8.2	6.9	8.6	7.9	7.1	6.5	9.0	8.0	10.1	8.4
15	10.0	10.0	9.0	7.9	6.8	8.6	8.2	7.2	6.7	9.1	7.9	9.7	8.4
16	10.2	10.0	9.2	7.9	6.9	8.8	8.1	7.3	6.5	8.6	7.9	9.8	8.4
17	10.1	10.1	9.3	8.1	7.0	8.9	8.0	7.3	6.7	8.6	8.2	10.0	8.5
18	9.9	10.0	9.5	8.4	7.0	8.8	8.1	7.2	6.5	8.6	8.3	9.9	8.5
19	10.4	10.3	9.5	8.6	7.1	9.1	8.0	7.5	6.6	8.7	8.5	10.1	8.7
20	10.4	10.1	10.0	8.6	7.1	8.9	8.0	7.5	6.4	9.1	8.6	10.4	8.8
21	10.8	10.3	10.0	8.7	6.8	9.1	7.7	7.3	6.1	9.2	8.7	10.3	8.8
22	10.7	9.8	10.0	8.3	7.4	8.9	8.1	7.4	6.4	9.5	8.4	10.6	8.8
23	10.7	9.6	10.0	8.7	8.0	9.6	8.8	8.0	6.9	9.3	8.4	10.5	9.0
MEAN	10.9	10.7	10.5	9.2	8.2	9.3	9.0	8.5	7.8	9.9	8.9	10.9	9.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	15.9	18.9	12.7	15.7	18.8	12.5	17.0	20.0	14.1	19.0	22.1	15.7
02	15.8	18.8	12.7	15.7	18.8	12.5	17.1	20.1	14.2	19.1	22.2	15.9
03	15.8	18.7	12.7	15.7	18.7	12.5	17.1	20.1	14.3	19.2	22.2	16.0
04	15.8	18.7	12.8	15.7	18.6	12.5	17.1	20.1	14.3	19.2	22.2	16.2
05	15.8	18.6	12.9	15.6	18.5	12.5	17.1	20.1	14.3	19.3	22.2	16.3
06	15.8	18.6	12.9	15.5	18.4	12.5	17.1	20.1	14.4	19.3	22.3	16.4
07	15.7	18.5	12.9	15.4	18.4	12.5	17.1	20.1	14.4	19.4	22.3	16.5
08	15.7	18.5	13.0	15.4	18.3	12.4	17.2	20.1	14.4	19.5	22.3	16.6
09	15.7	18.4	12.9	15.4	18.3	12.4	17.2	20.2	14.4	19.6	22.4	16.7
10	15.7	18.4	12.9	15.4	18.3	12.4	17.2	20.2	14.4	19.6	22.5	16.8
11	15.6	18.3	12.8	15.4	18.3	12.4	17.3	20.3	14.4	19.7	22.6	16.9
12	15.6	18.3	12.8	15.4	18.4	12.4	17.4	20.4	14.5	19.9	22.7	17.0
13	15.5	18.2	12.6	15.5	18.5	12.4	17.5	20.5	14.6	20.0	22.9	17.2
14	15.4	18.2	12.5	15.6	18.5	12.4	17.7	20.7	14.7	20.1	23.0	17.3
15	15.4	18.1	12.3	15.6	18.6	12.5	17.8	20.9	14.9	20.3	23.2	17.5
16	15.3	18.1	12.2	15.7	18.7	12.5	18.0	21.1	15.0	20.4	23.3	17.6
17	15.2	18.1	12.1	15.8	18.8	12.6	18.1	21.2	15.1	20.6	23.5	17.8
18	15.2	18.0	11.9	15.9	18.9	12.6	18.2	21.3	15.2	20.7	23.6	17.9
19	15.1	18.0	11.8	16.0	19.0	12.7	18.3	21.4	15.3	20.8	23.7	18.1
20	15.0	18.0	11.7	16.1	19.1	12.8	18.4	21.5	15.3	20.9	23.7	18.2
21	15.0	18.0	11.6	16.2	19.2	12.9	18.4	21.5	15.3	21.0	23.8	18.3
22	15.0	18.0	11.6	16.3	19.3	13.0	18.4	21.6	15.3	21.1	23.8	18.4
23	15.0	18.1	11.6	16.4	19.4	13.2	18.4	21.6	15.2	21.1	23.9	18.5
24	15.0	18.1	11.6	16.5	19.5	13.3	18.4	21.6	15.1	21.1	23.9	18.5
25	15.1	18.2	11.7	16.6	19.7	13.5	18.4	21.6	15.1	21.2	23.9	18.5
26	15.2	18.3	11.8	16.7	19.8	13.7	18.4	21.7	15.1	21.2	24.0	18.5
27	15.3	18.5	11.9	16.8	19.9	13.8	18.5	21.7	15.1	21.2	24.0	18.5
28	15.4	18.6	12.0	16.9	19.9	14.0	18.6	21.8	15.2	21.2	24.1	18.5
29	15.6	18.7	12.2	17.0	20.0	14.1	18.6	21.9	15.2	21.2	24.1	18.4
30	15.6	18.7	12.3				18.7	22.0	15.4	21.3	24.2	18.4
31	15.7	18.8	12.4				18.9	22.1	15.5			

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	21.3	24.3	18.4	24.6	27.2	22.5	28.4	31.1	26.4	28.9	31.9	26.5
02	21.4	24.4	18.5	24.7	27.3	22.6	28.5	31.2	26.5	28.9	31.9	26.6
03	21.5	24.6	18.5	24.7	27.3	22.6	28.6	31.3	26.5	28.9	31.9	26.6
04	21.7	24.7	18.6	24.8	27.4	22.7	28.6	31.4	26.6	28.9	31.9	26.6
05	21.8	24.9	18.7	24.9	27.6	22.9	28.7	31.4	26.6	28.9	31.8	26.6
06	21.9	25.0	18.9	25.1	27.7	23.0	28.7	31.4	26.6	28.9	31.8	26.6
07	22.1	25.2	19.1	25.2	27.8	23.1	28.7	31.5	26.6	28.9	31.8	26.6
08	22.2	25.3	19.2	25.3	28.0	23.3	28.7	31.5	26.6	28.9	31.8	26.6
09	22.4	25.5	19.4	25.5	28.1	23.4	28.7	31.5	26.6	28.8	31.8	26.5
10	22.5	25.6	19.6	25.6	28.2	23.6	28.7	31.5	26.6	28.8	31.9	26.5
11	22.6	25.7	19.8	25.8	28.4	23.8	28.7	31.5	26.6	28.8	31.9	26.5
12	22.7	25.7	20.0	26.0	28.5	23.9	28.7	31.5	26.5	28.8	31.9	26.4
13	22.8	25.8	20.1	26.1	28.7	24.1	28.7	31.6	26.5	28.8	31.9	26.4
14	22.9	25.8	20.2	26.3	28.8	24.3	28.7	31.6	26.4	28.8	31.9	26.3
15	22.9	25.8	20.3	26.4	29.0	24.4	28.7	31.7	26.4	28.7	32.0	26.3
16	23.0	25.8	20.4	26.5	29.1	24.5	28.7	31.7	26.3	28.7	32.0	26.2
17	23.0	25.8	20.5	26.6	29.2	24.7	28.7	31.8	26.3	28.7	32.0	26.2
18	23.0	25.8	20.6	26.7	29.3	24.8	28.7	31.8	26.2	28.7	32.0	26.1
19	23.1	25.8	20.7	26.8	29.4	24.9	28.7	31.9	26.2	28.7	31.9	26.1
20	23.1	25.8	20.8	27.0	29.6	25.0	28.7	31.9	26.2	28.7	31.9	26.1
21	23.2	25.9	20.9	27.1	29.7	25.1	28.7	32.0	26.2	28.7	31.9	26.1
22	23.3	25.9	21.0	27.2	29.8	25.2	28.8	32.0	26.2	28.7	31.8	26.1
23	23.4	26.0	21.2	27.3	29.9	25.3	28.8	32.0	26.2	28.7	31.7	26.1
24	23.6	26.2	21.3	27.4	30.0	25.5	28.8	32.0	26.2	28.6	31.7	26.0
25	23.7	26.3	21.5	27.5	30.2	25.6	28.8	32.0	26.3	28.6	31.6	26.0
26	23.9	26.5	21.7	27.7	30.3	25.8	28.9	32.0	26.3	28.5	31.5	25.9
27	24.0	26.6	21.8	27.8	30.5	25.9	28.9	32.0	26.3	28.5	31.4	25.9
28	24.1	26.7	22.0	28.0	30.6	26.0	28.9	32.0	26.4	28.4	31.4	25.8
29	24.3	26.9	22.1	28.1	30.8	26.2	28.9	32.0	26.4	28.3	31.3	25.7
30	24.4	27.0	22.2	28.2	30.9	26.3	28.9	32.0	26.5	28.2	31.2	25.6
31	24.5	27.1	22.4				28.9	32.0	26.5	28.1	31.2	25.5

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: TOKUNOSHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 27° 50.2'N, LONGITUDE: 128° 52.9'E, ELEVATION ABOVE MSL: 8 ft

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE ()												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	28.1	31.1	25.4	26.7	29.6	24.1	22.8	25.6	20.0	18.6	21.6	15.3
02	28.0	31.1	25.3	26.6	29.5	23.9	22.6	25.5	19.9	18.5	21.5	15.2
03	27.9	31.0	25.2	26.5	29.4	23.8	22.5	25.4	19.7	18.4	21.3	15.1
04	27.8	31.0	25.1	26.3	29.2	23.7	22.3	25.2	19.5	18.2	21.2	14.9
05	27.8	31.0	25.0	26.2	29.0	23.6	22.2	25.1	19.4	18.1	21.0	14.8
06	27.7	30.9	24.9	26.0	28.9	23.5	22.1	25.0	19.3	18.1	20.9	14.8
07	27.7	30.9	24.9	25.9	28.7	23.3	22.0	24.9	19.1	18.0	20.8	14.7
08	27.6	30.9	24.8	25.7	28.5	23.2	21.9	24.8	19.0	17.9	20.7	14.7
09	27.6	30.8	24.8	25.6	28.3	23.1	21.8	24.7	18.9	17.9	20.7	14.7
10	27.5	30.8	24.7	25.4	28.1	23.0	21.7	24.7	18.7	17.8	20.6	14.6
11	27.5	30.8	24.7	25.3	28.0	22.9	21.6	24.6	18.6	17.8	20.6	14.6
12	27.5	30.7	24.7	25.2	27.8	22.8	21.5	24.5	18.5	17.7	20.5	14.6
13	27.4	30.7	24.6	25.0	27.7	22.7	21.4	24.4	18.3	17.7	20.4	14.6
14	27.4	30.6	24.6	24.9	27.6	22.6	21.2	24.3	18.2	17.6	20.4	14.5
15	27.4	30.6	24.6	24.8	27.5	22.5	21.1	24.2	18.0	17.5	20.3	14.5
16	27.3	30.5	24.6	24.8	27.5	22.4	21.0	24.1	17.9	17.5	20.3	14.4
17	27.3	30.4	24.5	24.7	27.4	22.3	20.8	24.0	17.7	17.4	20.2	14.3
18	27.2	30.3	24.5	24.7	27.4	22.3	20.7	24.0	17.6	17.3	20.2	14.3
19	27.2	30.3	24.5	24.6	27.4	22.2	20.6	23.9	17.4	17.2	20.1	14.2
20	27.2	30.2	24.5	24.5	27.3	22.1	20.5	23.8	17.2	17.1	20.0	14.0
21	27.1	30.1	24.5	24.5	27.3	22.0	20.3	23.6	17.1	17.0	19.9	13.9
22	27.1	30.1	24.5	24.4	27.2	21.8	20.2	23.5	16.9	16.9	19.9	13.8
23	27.1	30.1	24.5	24.3	27.1	21.7	20.0	23.3	16.7	16.8	19.8	13.6
24	27.1	30.0	24.5	24.2	27.0	21.5	19.8	23.1	16.5	16.7	19.7	13.5
25	27.0	30.0	24.5	24.0	26.9	21.4	19.7	22.9	16.3	16.6	19.5	13.4
26	27.0	30.0	24.4	23.9	26.7	21.2	19.5	22.7	16.2	16.4	19.4	13.2
27	27.0	29.9	24.4	23.7	26.5	21.0	19.3	22.5	16.0	16.3	19.3	13.0
28	26.9	29.9	24.3	23.5	26.3	20.8	19.1	22.3	15.8	16.2	19.2	12.9
29	26.8	29.8	24.3	23.3	26.2	20.6	19.0	22.0	15.7	16.1	19.1	12.8
30	26.8	29.7	24.2	23.1	26.0	20.4	18.8	21.8	15.5	16.0	19.0	12.8
31				22.9	25.8	20.2				15.9	18.9	12.7