

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY17**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	0)	0)	0)	0)	0)	—	1	5
01	0)	0)	0)	0)	1)	—	1	5
02	0)	0)	0)	0)	0)	—	2	4
03	0)	0)	0)	0)	1)	—	2	5
04	0)	0)	0)	0)	1)	—	3	6
05	0)	0)	0)	0)	0)	—	3	4
06	0)	0)	0)	0)	0)	—	1	4
07	0)	0)	0)	0)	0)	—	2	4
08	0)	0)	0)	0)	0)	—	1	5
09	0)	0)	0)	0)	0)	—	1	3
10	0)	0)	0)	0)	0)	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	0)	—	1	3
23	0)	0)	0)	0)	0)	—	2	6
MEAN	0)	0)	0)	0)	0)	—	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: FEB****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY17**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	—	—	1	4
01	0)	0)	0)	0)	0)	—	—	1
02	—	—	—	—	—	1	1	4
03	—	—	—	—	—	—	—	3
04	—	—	—	—	1	—	1	5
05	0)	0)	0)	0)	0)	—	—	3
06	0)	0)	0)	0)	0)	—	—	5
07	—	—	—	—	—	—	—	4
08	—	—	—	—	—	—	1	4
09	—	—	—	—	—	—	1	3
10	—	—	—	—	—	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	1	2	4
23	—	—	—	—	—	1	1	6
MEAN	0)	0)	0)	0)	0)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY17**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	—	—	1	6
01	0)	0)	0)	0)	0)	—	1	6
02	0)	0)	0)	0)	0)	—	1	5
03	—	—	—	—	—	—	1	3
04	—	—	—	—	—	—	1	3
05	0)	0)	0)	0)	0)	—	—	1
06	0)	0)	0)	0)	1)	1	1	4
07	—	—	—	—	—	—	—	1
08	—	—	—	—	—	—	1	5
09	—	—	—	—	—	1	3	5
10	—	—	—	—	—	—	2	2
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	1	6
23	—	—	—	—	—	1	4	6
MEAN	0)	0)	0)	0)	0)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY17**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	0)	0)	0)	0)	0)	—	2	7
01	0)	0)	0)	0)	1)	1	2	6
02	0)	0)	0)	1)	0)	1	5	7
03	0)	0)	0)	0)	1)	1	5	9
04	0)	0)	0)	0)	0)	—	5	7
05	0)	0)	0)	0)	0)	1	4	8
06	0)	0)	0)	0)	0)	1	2	6
07	0)	0)	0)	0)	0)	—	4	9
08	0)	1)	1)	1)	1)	1	3	9
09	0)	0)	0)	0)	0)	1	3	9
10	0)	0)	1)	1)	0)	1	3	7
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	1)	0)	2	5	12
23	0)	0)	0)	1)	1)	1	5	9
MEAN	0)	0)	0)	0)	0)	1	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	1	1	1	3	9
01	0)	0)	0)	0)	0)	—	1	5
02	—	—	—	1	1	—	1	4
03	—	—	—	—	1	—	3	8
04	—	—	—	—	2	1	3	5
05	—	—	—	—	1	—	3	5
06	—	—	—	1	1	1	3	6
07	—	—	1	1	1	1	3	5
08	—	—	—	—	—	—	2	5
09	—	—	—	1	—	1	2	5
10	—	—	—	—	—	—	1	6
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	1	—	3	6
23	—	—	—	—	—	—	3	8
MEAN	0)	0)	0)	0)	1)	0	2	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	1	1	1	—	1	2
01	0)	0)	0)	0)	1)	—	1	4
02	—	—	—	—	—	—	—	3
03	—	—	—	—	—	—	—	1
04	—	—	—	—	—	—	—	1
05	—	—	—	—	—	—	1	1
06	0)	0)	0)	0)	0)	1	1	2
07	—	—	—	1	1	—	—	—
08	—	—	—	—	1	—	1	2
09	—	—	—	—	1	—	1	2
10	—	—	—	—	—	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	1	—	—	2
23	—	—	—	—	—	—	—	4
MEAN	0)	0)	0)	0)	0)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY17**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	1	—	1	1
01	—	—	—	—	—	—	1	1
02	—	—	—	1	1	—	1	3
03	—	—	—	—	1	—	1	2
04	—	—	—	—	3	—	1	2
05	—	—	—	—	—	—	1	2
06	—	—	—	—	1	—	1	3
07	—	—	—	—	2	—	2	2
08	—	—	—	—	1	—	1	2
09	—	—	—	—	—	—	1	1
10	—	—	—	—	1	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	1	—	1	3
23	—	—	—	—	1	—	1	2
MEAN	—	—	—	0	1	—	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	1	—	1	3
01	0)	0)	0)	0)	0)	—	1	2
02	—	—	—	—	—	—	1	3
03	—	—	—	—	1	—	1	3
04	—	—	—	—	1	—	1	4
05	—	—	—	—	1	—	—	3
06	—	—	—	—	1	—	1	3
07	—	—	—	—	—	—	1	1
08	—	—	—	—	—	—	—	2
09	—	—	—	—	—	—	—	2
10	—	—	—	—	1	—	1	2
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	1	3
23	—	—	—	1	1	1	1	2
MEAN	0)	0)	0)	0)	0)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	1	—	—	1
01	0)	0)	0)	0)	0)	—	1	2
02	0)	0)	0)	1)	2)	—	1	1
03	—	—	1	1	1	—	—	1
04	—	—	1	1	3	—	1	3
05	—	—	—	—	2	—	1	3
06	—	—	—	—	2	—	1	3
07	—	—	—	1	1	—	1	2
08	—	—	—	—	1	—	1	2
09	—	—	—	—	1	—	1	1
10	—	—	—	1	1	—	1	1
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	—	1
23	—	—	—	—	—	—	—	1
MEAN	0)	0)	0)	0)	1)	—	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: OCT****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY17**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	0)	0)	0)	0)	0)	—	1	3
01	—	—	—	—	—	—	1	3
02	—	—	—	1	1	—	1	4
03	—	—	—	—	—	—	—	3
04	0)	0)	0)	0)	0)	—	—	5
05	0)	0)	0)	0)	0)	—	—	3
06	0)	0)	0)	0)	0)	—	1	4
07	0)	0)	0)	0)	0)	—	1	2
08	0)	0)	0)	0)	0)	—	1	5
09	0)	0)	0)	1)	1)	1	1	3
10	0)	0)	0)	0)	1)	—	2	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	0)	—	—	1
23	0)	0)	0)	0)	1)	—	—	2
MEAN	0)	0)	0)	0)	0)	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: NOV****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY17**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	0)	0)	0)	0)	0)	—	1	1
01	0)	0)	0)	0)	0)	—	1	2
02	0)	0)	0)	0)	0)	—	1	2
03	—	—	—	—	—	—	1	3
04	0)	0)	0)	0)	1)	—	1	4
05	0)	0)	0)	0)	0)	—	—	—
06	—	—	—	—	1	—	1	2
07	—	—	—	—	—	—	1	3
08	—	—	—	—	—	—	1	1
09	—	—	—	—	1	—	1	3
10	—	—	—	—	1	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	1)	1)	—	—	1
23	0)	0)	0)	0)	0)	—	—	1
MEAN	0)	0)	0)	0)	0)	—	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	—	—	—	2
01	0)	0)	0)	0)	0)	—	1	5
02	—	—	—	—	—	—	2	5
03	—	—	—	—	—	—	—	3
04	—	—	—	—	—	—	1	3
05	—	—	—	—	—	—	—	1
06	—	—	—	—	—	—	1	3
07	—	—	—	—	—	—	1	3
08	—	—	—	—	—	—	1	5
09	—	—	—	—	—	—	—	2
10	—	—	—	—	—	—	—	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	2	4
23	—	—	—	—	—	—	—	1
MEAN	0)	0)	0)	0)	0)	—	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY17

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	0)	0)	0)	0)	0)	0	1	4
01	0)	0)	0)	0)	0)	0	1	3
02	0)	0)	0)	0)	0)	0	1	4
03	0)	0)	0)	0)	0)	0	1	4
04	0)	0)	0)	0)	1)	0	2	4
05	0)	0)	0)	0)	0)	0	1	3
06	0)	0)	0)	0)	0)	0	1	4
07	0)	0)	0)	0)	0)	0	1	3
08	0)	0)	0)	0)	0)	0	1	4
09	0)	0)	0)	0)	0)	0	1	3
10	0)	0)	0)	0)	0)	0	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	0)	0	1	4
23	0)	0)	0)	0)	0)	0	1	4
MEAN	0)	0)	0)	0)	0)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: JAN****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	0)	0)	0)	0)	1)	—	1	5
01	0)	0)	0)	0)	1)	—	1	5
02	0)	0)	0)	1)	1)	—	2	4
03	0)	0)	0)	0)	1)	—	2	5
04	0)	0)	0)	0)	1)	—	3	6
05	0)	0)	0)	0)	0)	—	3	4
06	0)	0)	0)	0)	0)	—	1	4
07	0)	0)	0)	0)	0)	—	2	4
08	0)	0)	0)	0)	0)	—	1	5
09	0)	0)	0)	0)	0)	—	1	3
10	0)	0)	0)	0)	0)	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	0)	—	1	3
23	0)	0)	0)	0)	0)	—	2	6
MEAN	0)	0)	0)	0)	0)	—	2	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	—	—	1	4
01	—	—	—	—	—	—	—	1
02	0)	0)	0)	0)	1)	1	1	4
03	0)	0)	0)	0)	0)	—	—	3
04	—	—	—	—	1	—	1	5
05	0)	0)	0)	0)	0)	—	—	3
06	0)	0)	0)	0)	0)	—	—	5
07	—	—	—	—	—	—	—	4
08	—	—	—	—	1	—	1	4
09	—	—	—	—	—	—	1	3
10	—	—	—	—	—	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	1	2	4
23	—	—	—	—	—	1	1	6
MEAN	0)	0)	0)	0)	0)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	—	—	1	6
01	0)	0)	0)	0)	0)	—	1	6
02	0)	0)	0)	0)	0)	—	1	5
03	0)	0)	0)	0)	0)	—	1	3
04	0)	0)	0)	0)	0)	—	1	3
05	0)	0)	0)	0)	0)	—	—	1
06	—	—	—	—	1	1	1	4
07	—	—	—	—	—	—	—	1
08	0)	0)	0)	0)	1)	—	1	5
09	0)	0)	0)	0)	0)	1	3	5
10	—	—	—	—	—	—	2	2
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	1	6
23	—	—	—	—	—	1	4	6
MEAN	0)	0)	0)	0)	0)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: APR****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	1	—	2	7
01	—	—	—	—	—	1	2	6
02	—	—	—	1	—	1	5	7
03	—	—	—	—	1	1	5	9
04	—	—	—	—	—	—	5	7
05	—	—	—	—	—	1	4	8
06	—	—	—	—	—	1	2	6
07	—	—	—	—	—	—	4	9
08	—	1	1	1	1	1	3	9
09	—	—	—	1	1	1	3	9
10	1	1	1	1	1	1	3	7
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	1	2	—	2	5	12
23	—	—	—	1	1	1	5	9
MEAN	0	0	0	0	0	1	4	8

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	1	1	3	9
01	0)	0)	0)	0)	0)	—	1	5
02	—	—	—	1	1	—	1	4
03	—	—	—	—	1	—	3	8
04	—	—	—	2	3	1	3	5
05	—	—	—	—	1	—	3	5
06	—	—	—	1	1	1	3	6
07	—	—	1	1	1	1	3	5
08	—	—	—	—	1	—	2	5
09	—	—	—	1	1	1	2	5
10	—	—	—	—	—	—	1	6
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	3	6
23	—	—	—	—	—	—	3	8
MEAN	0)	0)	0)	0)	1)	0	2	6

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	1	—	1	2
01	—	—	—	—	1	—	1	4
02	0)	0)	0)	0)	0)	—	—	3
03	0)	0)	0)	0)	0)	—	—	1
04	—	—	—	—	—	—	—	1
05	—	—	—	—	—	—	1	1
06	—	—	—	—	—	1	1	2
07	—	—	—	—	—	—	—	—
08	—	—	—	—	1	—	1	2
09	—	—	—	—	—	—	1	2
10	—	—	—	—	—	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	1	—	—	2
23	—	—	—	—	—	—	—	4
MEAN	0)	0)	0)	0)	0)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	1	—	1	1
01	—	—	—	—	1	—	1	1
02	—	—	—	1	2	—	1	3
03	—	—	—	—	1	—	1	2
04	—	—	—	—	1	—	1	2
05	—	—	—	1	1	—	1	2
06	—	1	1	1	3	—	1	3
07	—	—	—	—	2	—	2	2
08	—	—	—	1	1	—	1	2
09	—	—	—	—	1	—	1	1
10	—	—	—	—	1	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	1	1	1	1	—	1	3
23	—	—	—	—	1	—	1	2
MEAN	—	0	0	0	1	—	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	1	—	1	3
01	0)	0)	0)	0)	1)	—	1	2
02	—	—	—	—	—	—	1	3
03	—	—	—	—	1	—	1	3
04	—	—	1	1	1	—	1	4
05	—	—	—	—	1	—	—	3
06	—	—	—	1	2	—	1	3
07	—	—	—	1	1	—	1	1
08	—	—	—	—	—	—	—	2
09	—	—	—	—	—	—	—	2
10	—	—	—	—	1	—	1	2
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	1	—	1	3
23	—	—	—	1	1	1	1	2
MEAN	0)	0)	0)	0)	1)	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	—	—	—	1
01	—	—	—	—	1	—	1	2
02	0)	0)	0)	0)	1)	—	1	1
03	0)	0)	0)	0)	1)	—	—	1
04	0)	0)	0)	0)	1)	—	1	3
05	—	—	—	1	1	—	1	3
06	—	—	—	—	1	—	1	3
07	—	—	—	—	1	—	1	2
08	—	1	1	1	2	—	1	2
09	—	—	—	—	1	—	1	1
10	—	—	—	—	1	—	1	1
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	—	1
23	—	—	—	—	—	—	—	1
MEAN	0)	0)	0)	0)	1)	—	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBLTY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	—	—	—	—	1	—	1	3
01	—	—	—	1	1	—	1	3
02	—	—	—	—	—	—	1	4
03	—	—	—	—	—	—	—	3
04	—	—	—	—	—	—	—	5
05	—	—	—	—	—	—	—	3
06	—	—	—	—	1	—	1	4
07	—	—	—	—	—	—	1	2
08	—	—	—	—	—	—	1	5
09	—	—	—	1	1	1	1	3
10	—	—	—	—	—	—	2	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	—	1
23	—	—	—	—	—	—	—	2
MEAN	—	—	—	0	0	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	0)	0)	0)	0)	0)	—	1	1
01	0)	0)	0)	0)	1)	—	1	2
02	0)	0)	0)	0)	0)	—	1	2
03	0)	0)	0)	0)	0)	—	1	3
04	0)	0)	0)	0)	1)	—	1	4
05	0)	0)	0)	0)	0)	—	—	—
06	0)	0)	0)	0)	0)	—	1	2
07	—	—	—	—	1	—	1	3
08	—	—	—	—	—	—	1	1
09	—	—	—	—	1	—	1	3
10	—	—	—	—	—	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	1)	1)	—	—	1
23	0)	0)	0)	0)	0)	—	—	1
MEAN	0)	0)	0)	0)	0)	—	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A**AERODROME: SHIMOJISHIMA AIRPORT MONTH: DEC****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft****NUMBER OF FORWARD SCATTER: RWY35**

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	0)	0)	0)	0)	0)	—	—	2
01	0)	0)	0)	0)	0)	—	1	5
02	0)	0)	0)	0)	0)	—	2	5
03	0)	0)	0)	0)	0)	—	—	3
04	0)	0)	0)	0)	1)	—	1	3
05	0)	0)	0)	0)	0)	—	—	1
06	0)	0)	0)	0)	1)	—	1	3
07	0)	0)	0)	0)	0)	—	1	3
08	0)	0)	0)	0)	0)	—	1	5
09	0)	0)	0)	0)	0)	—	—	2
10	0)	0)	0)	0)	0)	—	—	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	1)	—	2	4
23	0)	0)	0)	0)	0)	—	—	1
MEAN	0)	0)	0)	0)	0)	—	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL A
AERODROME: SHIMOJISHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft
NUMBER OF FORWARD SCATTER: RWY35

FREQUENCIES (PER CENT) OF THE OCCURRENCE OF RUNWAY VISUAL RANGE / VISIBILITY (BOTH IN METERS) OR HEIGHT OF THE BASE OF THE LOWEST CLOUD LAYER (IN FEET) , OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIME								
TIME (UTC)	RVR (m) / Hs (ft)					VIS (m) / Hs (ft)		
	—	<400	<550	<800	<1400	<1500	<3200	<5000
	<100	<200	<400	<500	—	<600	<1000	<1500
00	0)	0)	0)	0)	0)	0	1	4
01	0)	0)	0)	0)	0)	0	1	3
02	0)	0)	0)	0)	1)	0	1	4
03	0)	0)	0)	0)	0)	0	1	4
04	0)	0)	0)	0)	1)	0	2	4
05	0)	0)	0)	0)	0)	0	1	3
06	0)	0)	0)	0)	1)	0	1	4
07	0)	0)	0)	0)	0)	0	1	3
08	0)	0)	0)	0)	0)	0	1	4
09	0)	0)	0)	0)	0)	0	1	3
10	0)	0)	0)	0)	0)	0	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	0)	0)	0)	0)	0)	0	1	4
23	0)	0)	0)	0)	0)	0	1	4
MEAN	0)	0)	0)	0)	0)	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	1	1	1	4
01	—	—	—	—	1	1	1	3
02	—	—	—	—	1	1	1	4
03	—	—	—	—	1	1	2	3
04	—	—	—	—	1	1	3	5
05	—	—	—	—	—	—	3	3
06	—	—	—	—	—	—	1	3
07	—	—	—	—	—	1	2	3
08	—	—	—	—	—	—	1	3
09	—	—	—	—	—	1	1	2
10	—	—	—	—	—	1	1	1
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	1	3
23	—	—	—	—	—	1	2	5
MEAN	—	—	—	—	0	1	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	1	1	2
01	—	—	—	—	—	—	—	1
02	—	—	—	—	—	—	1	1
03	—	—	—	—	—	—	—	1
04	—	—	—	—	—	—	1	2
05	—	—	—	—	—	—	—	1
06	—	—	—	—	—	—	—	1
07	—	—	—	—	—	—	—	1
08	—	—	—	—	1	1	1	2
09	—	—	—	—	—	1	1	1
10	—	—	—	—	—	1	1	1
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	1	1	2
23	—	—	—	—	1	1	1	4
MEAN	—	—	—	—	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	—	1
01	—	—	—	—	—	—	1	1
02	—	—	—	—	—	—	1	3
03	—	—	—	—	—	—	—	1
04	—	—	—	—	—	—	1	1
05	—	—	—	—	—	—	—	—
06	—	—	—	—	1	1	1	3
07	—	—	—	—	—	—	—	1
08	—	—	—	—	—	1	1	2
09	—	—	—	—	—	—	1	2
10	—	—	—	—	—	—	1	1
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	—	2
23	—	—	—	—	—	—	1	1
MEAN	—	—	—	—	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	1	1	1	2
01	—	—	—	—	—	1	1	1
02	—	—	—	—	—	—	1	1
03	—	—	—	—	1	1	1	1
04	—	—	—	—	—	—	—	—
05	—	—	—	—	—	—	—	—
06	—	—	—	—	—	—	1	1
07	—	—	—	—	—	1	1	3
08	—	1	1	1	1	1	3	5
09	1	1	1	1	1	1	1	4
10	—	1	1	1	1	1	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	1	3	4
23	—	—	—	—	—	1	2	3
MEAN	0	0	0	0	0	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	1	1	2	3	3	3
01	—	—	—	—	—	—	1	3
02	—	—	—	—	—	—	1	2
03	—	—	—	—	1	2	3	3
04	—	—	1	1	3	3	3	4
05	—	—	—	—	1	1	3	3
06	—	—	—	—	1	1	3	5
07	—	—	1	1	1	1	1	2
08	—	—	—	—	—	—	1	3
09	—	—	—	—	—	—	1	3
10	—	—	—	—	—	—	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	1	1	1	1
23	—	—	—	—	1	1	2	4
MEAN	—	—	0	0	1	1	2	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	1	1	1
01	—	—	—	—	—	—	1	1
02	—	—	—	—	—	—	—	—
03	—	—	—	—	—	—	—	1
04	—	—	—	—	—	—	—	1
05	—	—	—	—	—	1	1	1
06	—	—	—	—	—	—	—	1
07	—	—	—	—	—	—	—	—
08	—	—	—	—	—	—	1	1
09	—	—	—	—	1	1	1	1
10	—	—	—	—	—	1	1	2
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	—	1
23	—	—	—	—	—	—	—	1
MEAN	—	—	—	—	0	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	1	1	1	1
01	—	—	—	—	1	1	1	1
02	—	—	—	—	1	1	1	2
03	—	—	—	—	1	1	1	1
04	—	—	—	—	1	1	1	2
05	—	—	—	—	—	1	1	1
06	—	—	—	—	1	1	1	3
07	—	—	—	—	1	1	2	2
08	—	—	—	—	1	1	1	2
09	—	—	—	—	—	1	1	1
10	—	—	—	—	1	1	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	1	1	1	1
23	—	—	—	—	1	1	1	1
MEAN	—	—	—	—	1	1	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	1	3
01	—	—	—	—	—	—	1	2
02	—	—	—	—	1	1	1	2
03	—	—	—	—	1	1	1	2
04	—	—	—	—	—	1	1	3
05	—	—	—	—	—	—	—	1
06	—	—	—	—	—	—	1	1
07	—	—	—	—	—	1	1	1
08	—	—	—	—	—	—	—	1
09	—	—	—	—	—	—	—	1
10	—	—	—	—	1	1	1	1
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	1	2
23	—	—	1	1	1	1	1	2
MEAN	—	—	0	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	—	—
01	—	—	—	—	—	—	1	1
02	—	—	—	—	1	1	1	1
03	—	—	—	—	—	—	—	1
04	—	—	—	—	—	1	1	1
05	—	—	—	—	1	1	1	2
06	—	—	—	—	—	1	1	2
07	—	—	—	—	—	—	1	1
08	—	—	—	—	1	1	1	1
09	—	—	—	—	—	—	1	1
10	—	—	—	—	—	—	1	1
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	—	1
23	—	—	—	—	—	—	—	—
MEAN	—	—	—	—	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	1	2
01	—	—	—	—	1	1	1	2
02	—	—	—	—	1	1	1	2
03	—	—	—	—	—	—	—	1
04	—	—	—	—	—	—	—	1
05	—	—	—	—	—	—	—	1
06	—	—	—	—	—	1	1	1
07	—	—	—	—	—	—	1	1
08	—	—	—	—	—	1	1	3
09	—	1	1	1	1	1	1	1
10	—	—	—	—	—	1	2	2
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	—	1
23	—	—	—	—	—	—	—	1
MEAN	—	0	0	0	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	1	1
01	—	—	—	—	—	—	1	1
02	—	—	—	—	—	—	—	—
03	—	—	—	—	—	—	1	1
04	—	—	—	—	—	—	1	3
05	—	—	—	—	—	—	—	—
06	—	—	—	—	—	—	1	1
07	—	—	—	—	1	1	1	2
08	—	—	—	—	—	1	1	1
09	—	—	—	—	—	1	1	2
10	—	—	—	—	1	1	1	3
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	—	—	—	—
23	—	—	—	—	—	—	—	1
MEAN	—	—	—	—	0	0	1	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	—	—	—	—	—	1
01	—	—	—	—	—	—	1	4
02	—	—	—	—	—	1	2	3
03	—	—	—	—	—	—	—	3
04	—	—	—	—	—	1	1	2
05	—	—	—	—	—	—	—	—
06	—	—	—	—	—	1	1	1
07	—	—	—	—	—	—	1	2
08	—	—	—	—	—	1	1	4
09	—	—	—	—	—	—	—	1
10	—	—	—	—	—	—	—	2
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	1	1	2	3
23	—	—	—	—	—	—	—	1
MEAN	—	—	—	—	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL B
AERODROME: SHIMOJISHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF VISIBILITY BELOW SPECIFIED VALUES (IN METERS) AT SPECIFIED TIMES								
TIME (UTC)	VISIBILITY (m)							
	<400	<800	<1200	<1500	<1600	<2400	<3200	<5000
00	—	—	0	0	0	0	1	2
01	—	—	—	—	0	0	1	2
02	—	—	—	—	0	0	1	2
03	—	—	—	—	0	0	1	1
04	—	—	0	0	0	1	1	2
05	—	—	—	—	0	0	1	1
06	—	—	—	—	0	0	1	2
07	—	—	0	0	0	0	1	2
08	—	0	0	0	0	0	1	2
09	0	0	0	0	0	0	1	2
10	—	0	0	0	0	1	1	2
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22	—	—	—	—	0	0	1	2
23	—	—	0	0	0	0	1	2
MEAN	0	0	0	0	0	0	1	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	1	3
01	—	—	—	—	—	1	3
02	—	—	—	—	—	1	1
03	—	—	—	—	—	—	2
04	—	—	—	—	—	—	2
05	—	—	—	—	—	—	1
06	—	—	—	—	—	—	2
07	—	—	—	—	—	—	1
08	—	—	—	—	—	—	2
09	—	—	—	—	—	—	1
10	—	—	—	—	—	—	2
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	—	—	1
23	—	—	—	—	—	—	3
MEAN	—	—	—	—	—	0	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	—	2
01	—	—	—	—	—	—	1
02	—	—	—	—	1	1	4
03	—	—	—	—	—	—	3
04	—	—	—	—	—	—	4
05	—	—	—	—	—	—	2
06	—	—	—	—	—	—	4
07	—	—	—	—	—	—	3
08	—	—	—	—	—	—	2
09	—	—	—	—	—	—	3
10	—	—	—	—	—	—	2
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	1	1	3
23	—	—	—	—	1	1	3
MEAN	—	—	—	—	0	0	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	1	6
01	—	—	—	—	—	1	5
02	—	—	—	—	—	1	3
03	—	—	—	—	—	1	1
04	—	—	—	—	—	—	3
05	—	—	—	—	—	—	1
06	—	—	—	—	1	1	3
07	—	—	—	—	—	—	1
08	—	—	—	—	—	—	3
09	—	—	—	—	1	2	5
10	—	—	—	—	—	1	1
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	—	1	5
23	—	—	—	—	1	3	5
MEAN	—	—	—	—	0	1	3

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	1	5
01	—	—	—	—	1	2	6
02	—	—	—	1	1	4	7
03	—	—	—	—	1	5	8
04	—	—	—	—	—	5	7
05	—	—	—	—	1	4	8
06	—	—	—	—	1	1	6
07	—	—	—	—	—	3	8
08	—	1	1	1	1	1	4
09	—	—	—	—	—	1	5
10	1	1	1	1	1	3	5
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	1	2	2	3	10
23	—	—	—	1	1	3	6
MEAN	0	0	0	0	1	3	7

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAY****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	1	8
01	—	—	—	—	—	—	3
02	—	—	—	—	—	—	3
03	—	—	—	—	—	1	5
04	—	—	—	—	—	—	2
05	—	—	—	—	—	1	4
06	—	—	—	1	1	1	5
07	—	—	—	—	—	1	4
08	—	—	—	—	—	1	3
09	—	—	—	1	1	1	3
10	—	—	—	—	—	—	5
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	—	2	5
23	—	—	—	—	—	1	6
MEAN	—	—	—	0	0	1	4

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	—	2
01	—	—	—	—	—	—	3
02	—	—	—	—	—	—	3
03	—	—	—	—	—	—	1
04	—	—	—	—	—	—	1
05	—	—	—	—	—	—	1
06	—	—	—	—	1	1	1
07	—	—	—	—	—	—	—
08	—	—	—	—	—	1	1
09	—	—	—	—	—	—	1
10	—	—	—	—	—	—	1
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	—	—	1
23	—	—	—	—	—	—	4
MEAN	—	—	—	—	0	0	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C**AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUL****PERIOD OF RECORD: 2012-2016****TOTAL NUMBER OF OBSERVATIONS: 13****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft**

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	—	1
01	—	—	—	—	—	—	1
02	—	—	—	—	—	—	1
03	—	—	—	—	—	—	2
04	—	—	—	—	—	—	1
05	—	—	—	—	—	—	1
06	—	—	—	—	—	—	1
07	—	—	—	—	—	—	1
08	—	—	—	—	—	—	1
09	—	—	—	—	—	—	—
10	—	—	—	—	—	—	1
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	—	—	2
23	—	—	—	—	—	—	2
MEAN	—	—	—	—	—	—	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	—	—
01	—	—	—	—	—	—	—
02	—	—	—	—	—	—	1
03	—	—	—	—	—	—	1
04	—	—	—	—	—	—	1
05	—	—	—	—	—	—	3
06	—	—	—	—	—	—	2
07	—	—	—	—	—	—	—
08	—	—	—	—	—	—	1
09	—	—	—	—	—	—	1
10	—	—	—	—	—	—	1
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	—	—	1
23	—	—	—	—	1	1	1
MEAN	—	—	—	—	0	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	—	1
01	—	—	—	—	—	—	1
02	—	—	—	—	—	—	1
03	—	—	—	—	—	—	1
04	—	—	—	—	—	—	2
05	—	—	—	—	—	—	3
06	—	—	—	—	—	—	1
07	—	—	—	—	—	—	1
08	—	—	—	—	—	—	2
09	—	—	—	—	—	—	1
10	—	—	—	—	—	—	1
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	—	—	—
23	—	—	—	—	—	—	1
MEAN	—	—	—	—	—	—	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	—	1
01	—	—	—	—	—	—	1
02	—	—	—	—	—	—	2
03	—	—	—	—	—	—	2
04	—	—	—	—	—	—	3
05	—	—	—	—	—	—	3
06	—	—	—	—	—	—	3
07	—	—	—	—	—	—	1
08	—	—	—	—	—	—	2
09	—	—	—	—	—	—	1
10	—	—	—	—	—	—	1
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	—	—	—
23	—	—	—	—	—	—	1
MEAN	—	—	—	—	—	—	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	—	—
01	—	—	—	—	—	—	1
02	—	—	—	—	—	1	2
03	—	—	—	—	—	—	2
04	—	—	—	—	—	—	1
05	—	—	—	—	—	—	—
06	—	—	—	—	—	—	1
07	—	—	—	—	—	—	2
08	—	—	—	—	—	—	—
09	—	—	—	—	—	—	1
10	—	—	—	—	—	—	1
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	—	—	1
23	—	—	—	—	—	—	—
MEAN	—	—	—	—	—	0	1

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	—	1
01	—	—	—	—	—	—	1
02	—	—	—	—	—	—	3
03	—	—	—	—	—	—	1
04	—	—	—	—	—	—	2
05	—	—	—	—	—	—	1
06	—	—	—	—	—	—	2
07	—	—	—	—	—	—	2
08	—	—	—	—	—	—	3
09	—	—	—	—	—	—	1
10	—	—	—	—	—	—	1
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	—	—	—	—	1
23	—	—	—	—	—	—	1
MEAN	—	—	—	—	—	—	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL C
AERODROME: SHIMOJISHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 13
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25ft

FREQUENCIES (PER CENT) OF THE HEIGHT OF THE BASE (IN FEET) OF THE LOWEST CLOUD LAYER OF BKN OR OVC EXTENT BELOW SPECIFIED VALUES AT SPECIFIED TIMES							
TIME (UTC)	Hs (ft)						
	<100	<200	<400	<500	<600	<1000	<1500
00	—	—	—	—	—	0	2
01	—	—	—	—	0	0	2
02	—	—	—	0	0	1	2
03	—	—	—	—	0	0	2
04	—	—	—	—	—	0	2
05	—	—	—	—	0	0	2
06	—	—	—	0	0	0	3
07	—	—	—	—	—	0	2
08	—	0	0	0	0	0	2
09	—	—	—	0	0	0	2
10	0	0	0	0	0	0	2
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22	—	—	0	0	0	1	2
23	—	—	—	0	0	1	3
MEAN	0	0	0	0	0	0	2

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	0)	1)	2)	5)	7)	5)	1)	0)	0)	0)	0)	21)
[02-03-04]	0)	2)	4)	9)	7)	3)	0)	0)	0)	0)	0)	25)
[05-06-07]	0)	4)	7)	6)	2)	0)	0)	0)	0)	0)	0)	19)
[08-09-10]	3)	4)	4)	2)	0)	0)	0)	0)	0)	0)	0)	13)
[11-12-13]	3)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	8)
[14-15-16]	1)	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	5)
[17-18-19]	0)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[20-21-22]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[32-33-34]	0)	0)	0)	0)	1)	1)	0)	0)	0)	0)	0)	2)
TOTAL	8)	17)	22)	25)	17)	9)	2)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: FEB
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	0	0	—	—	—	—	—	—	—	—	—	0
[35-36-01]	0	1	2	4	6	5	1	—	—	—	—	19
[02-03-04]	0	1	4	7	4	3	0	—	—	—	—	20
[05-06-07]	0	2	6	4	1	0	—	—	—	—	—	14
[08-09-10]	1	4	6	1	—	—	—	—	—	—	—	12
[11-12-13]	2	4	3	1	0	—	—	—	—	—	—	9
[14-15-16]	0	3	5	3	1	—	—	—	—	—	—	11
[17-18-19]	0	2	3	2	0	—	—	—	—	—	—	8
[20-21-22]	0	2	1	0	—	—	—	—	—	—	—	3
[23-24-25]	0	0	0	0	—	—	—	—	—	—	—	1
[26-27-28]	—	0	0	—	—	—	—	—	—	—	—	0
[29-30-31]	0	0	0	—	—	—	—	—	—	—	—	1
[32-33-34]	0	0	0	1	0	0	—	—	—	—	—	2
TOTAL	5	19	30	23	13	9	1	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	0)	1)	2)	4)	5)	3)	0)	0)	0)	0)	0)	15)
[02-03-04]	0)	2)	4)	5)	3)	1)	0)	0)	0)	0)	0)	14)
[05-06-07]	0)	4)	6)	3)	0)	0)	0)	0)	0)	0)	0)	14)
[08-09-10]	1)	4)	4)	1)	0)	0)	0)	0)	0)	0)	0)	12)
[11-12-13]	3)	4)	3)	1)	0)	0)	0)	0)	0)	0)	0)	11)
[14-15-16]	1)	4)	4)	2)	0)	0)	0)	0)	0)	0)	0)	12)
[17-18-19]	1)	5)	5)	2)	0)	0)	0)	0)	0)	0)	0)	13)
[20-21-22]	1)	2)	1)	0)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	0)	0)	1)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	8)	28)	31)	20)	10)	4)	0)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												—
VARIABLE	1	—	—	—	—	—	—	—	—	—	—	1
[35-36-01]	0	1	2	4	3	1	0	—	—	—	—	10
[02-03-04]	0	2	4	4	1	0	—	—	—	—	—	11
[05-06-07]	1	4	5	3	0	—	—	—	—	—	—	12
[08-09-10]	1	4	4	2	0	—	—	—	—	—	—	11
[11-12-13]	2	4	2	1	0	—	—	—	—	—	—	9
[14-15-16]	2	6	5	2	0	—	—	—	—	—	—	15
[17-18-19]	1	8	8	2	0	—	—	—	—	—	—	19
[20-21-22]	1	3	2	0	0	—	—	—	—	—	—	7
[23-24-25]	1	1	0	0	0	—	—	—	—	—	—	2
[26-27-28]	0	0	0	0	0	—	—	—	—	—	—	1
[29-30-31]	0	0	0	0	—	—	—	—	—	—	—	1
[32-33-34]	0	0	1	0	0	0	—	—	—	—	—	1
TOTAL	9	34	33	18	5	1	0	—	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	1	—	—	—	—	—	—	—	—	—	—	1
[35-36-01]	1	1	2	1	0	0	—	—	—	—	—	5
[02-03-04]	0	3	3	2	1	0	0	—	—	—	—	9
[05-06-07]	1	4	6	2	0	0	—	—	—	—	—	13
[08-09-10]	2	5	4	1	0	0	—	—	—	—	—	13
[11-12-13]	2	3	3	1	—	—	—	—	0	—	—	10
[14-15-16]	1	4	4	1	—	—	—	—	—	—	—	10
[17-18-19]	2	7	7	1	0	—	—	—	—	—	0	17
[20-21-22]	1	6	5	1	0	—	—	—	—	—	—	13
[23-24-25]	1	2	0	0	0	—	—	—	—	—	—	3
[26-27-28]	1	1	0	0	0	0	—	—	—	—	—	2
[29-30-31]	1	1	0	0	—	—	—	—	—	—	—	2
[32-33-34]	0	0	1	0	0	—	—	—	—	—	—	2
TOTAL	15	38	35	10	2	1	0	—	0	—	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	1	—	—	—	—	—	—	—	—	—	—	1
[35-36-01]	0	1	1	1	0	—	—	—	—	—	—	3
[02-03-04]	0	2	1	0	0	0	—	—	—	—	—	3
[05-06-07]	1	1	2	1	0	0	—	—	—	—	—	5
[08-09-10]	1	2	1	0	0	—	—	—	—	—	—	5
[11-12-13]	1	2	1	1	—	—	—	—	—	—	—	4
[14-15-16]	1	4	2	1	0	—	—	—	—	—	—	9
[17-18-19]	2	11	18	4	0	0	—	—	—	—	—	36
[20-21-22]	1	8	14	3	0	—	—	—	—	—	—	26
[23-24-25]	1	2	2	1	0	0	0	0	—	—	—	5
[26-27-28]	0	0	0	0	0	—	—	—	—	—	—	1
[29-30-31]	0	0	0	0	—	—	—	—	—	—	—	1
[32-33-34]	0	0	1	0	—	—	—	—	—	—	—	2
TOTAL	10	34	42	11	1	0	0	0	—	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	1	—	—	—	—	—	—	—	—	—	—	1
[35-36-01]	0	1	0	0	0	—	0	0	—	—	—	2
[02-03-04]	0	1	1	1	0	0	0	0	0	0	—	3
[05-06-07]	1	1	2	1	0	0	0	0	—	—	—	6
[08-09-10]	1	3	2	2	1	0	0	—	0	0	0	9
[11-12-13]	2	4	3	1	0	0	0	0	0	0	0	11
[14-15-16]	1	8	6	2	1	0	0	—	—	—	—	19
[17-18-19]	2	8	10	4	1	0	—	—	—	—	—	25
[20-21-22]	2	7	6	2	0	0	0	0	0	—	—	17
[23-24-25]	1	3	0	0	—	0	0	0	0	0	—	4
[26-27-28]	1	1	—	—	0	—	0	0	0	—	—	2
[29-30-31]	0	0	—	0	0	0	0	0	—	—	—	1
[32-33-34]	1	0	0	0	0	—	—	0	0	—	—	1
TOTAL	12	36	32	12	4	2	1	1	1	0	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	2	0	—	—	—	—	—	—	—	—	—	2
[35-36-01]	1	2	2	2	0	0	0	—	—	—	—	7
[02-03-04]	1	3	1	1	0	0	—	—	—	—	—	6
[05-06-07]	1	3	2	1	1	0	0	0	0	—	—	8
[08-09-10]	3	3	2	1	0	0	—	0	0	0	—	10
[11-12-13]	4	3	1	1	1	1	0	0	0	—	—	11
[14-15-16]	3	5	4	2	0	1	0	0	0	—	0	16
[17-18-19]	2	5	6	2	1	0	0	—	0	—	0	18
[20-21-22]	1	3	3	2	1	0	—	—	—	—	0	11
[23-24-25]	1	1	0	0	0	0	0	0	—	0	—	3
[26-27-28]	1	1	0	0	0	0	0	0	—	—	—	2
[29-30-31]	0	1	1	1	0	0	0	—	—	—	—	3
[32-33-34]	1	1	1	1	0	0	0	—	—	—	—	5
TOTAL	21	30	25	14	5	3	1	0	0	0	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	2)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[35-36-01]	1)	2)	4)	3)	1)	1)	0)	0)	0)	0)	0)	12)
[02-03-04]	1)	3)	7)	4)	1)	0)	0)	0)	0)	0)	0)	16)
[05-06-07]	1)	6)	6)	3)	2)	1)	0)	0)	0)	0)	0)	18)
[08-09-10]	4)	5)	2)	1)	1)	0)	0)	0)	0)	0)	0)	13)
[11-12-13]	4)	3)	1)	1)	1)	0)	0)	0)	0)	0)	0)	11)
[14-15-16]	1)	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	6)
[17-18-19]	1)	2)	1)	1)	1)	0)	0)	0)	0)	0)	0)	6)
[20-21-22]	1)	2)	0)	1)	0)	0)	0)	0)	0)	0)	0)	4)
[23-24-25]	1)	1)	0)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[26-27-28]	1)	1)	0)	0)	1)	0)	0)	0)	0)	0)	0)	3)
[29-30-31]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	3)
[32-33-34]	1)	1)	1)	1)	0)	0)	0)	0)	0)	0)	0)	5)
TOTAL	19)	27)	24)	16)	8)	3)	1)	1)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: OCT
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	1	—	—	—	—	—	—	—	—	—	—	1
[35-36-01]	0	1	2	2	5	5	1	1	0	0	0	17
[02-03-04]	0	2	7	10	7	3	1	0	—	0	—	30
[05-06-07]	1	5	10	7	1	—	—	—	—	—	—	25
[08-09-10]	2	4	3	1	0	—	—	—	—	—	—	10
[11-12-13]	1	1	1	1	—	—	—	—	—	—	—	4
[14-15-16]	1	1	1	0	0	—	—	—	—	—	—	4
[17-18-19]	0	2	1	—	0	0	0	0	0	0	—	3
[20-21-22]	0	0	0	—	—	—	—	—	0	0	—	1
[23-24-25]	0	0	0	—	—	—	—	0	—	—	—	0
[26-27-28]	0	0	0	0	0	—	0	—	0	—	—	1
[29-30-31]	0	0	0	—	0	0	0	0	—	0	0	2
[32-33-34]	0	0	0	0	1	0	1	0	—	—	0	3
TOTAL	10	17	25	21	14	9	3	1	0	0	0	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	0)	0)	2)	4)	4)	2)	0)	0)	0)	0)	0)	12)
[02-03-04]	0)	2)	4)	8)	7)	3)	0)	0)	0)	0)	0)	25)
[05-06-07]	1)	4)	9)	7)	1)	0)	0)	0)	0)	0)	0)	22)
[08-09-10]	2)	5)	6)	4)	0)	0)	0)	0)	0)	0)	0)	18)
[11-12-13]	3)	3)	2)	0)	0)	0)	0)	0)	0)	0)	0)	9)
[14-15-16]	1)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[17-18-19]	0)	1)	1)	0)	0)	0)	0)	0)	0)	0)	0)	3)
[20-21-22]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[23-24-25]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
TOTAL	10)	21)	27)	24)	12)	5)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0
VARIABLE	1	—	—	—	—	—	—	—	—	—	—	1
[35-36-01]	0	1	1	3	8	7	2	0	0	—	—	21
[02-03-04]	0	1	3	9	9	3	0	—	—	—	—	26
[05-06-07]	0	2	10	9	2	0	—	—	—	—	—	23
[08-09-10]	2	3	6	3	1	0	—	—	—	—	—	14
[11-12-13]	1	2	2	1	0	—	—	—	—	—	—	6
[14-15-16]	0	1	1	1	0	—	—	—	—	—	—	3
[17-18-19]	0	0	0	0	0	—	—	—	—	—	—	2
[20-21-22]	0	0	0	0	—	—	—	—	—	—	—	1
[23-24-25]	0	0	0	0	—	—	—	—	—	—	—	1
[26-27-28]	0	0	0	0	0	—	—	—	—	—	—	1
[29-30-31]	0	0	0	0	0	0	—	—	—	—	—	1
[32-33-34]	0	0	0	0	0	0	0	—	—	—	—	2
TOTAL	5	11	25	27	20	10	2	0	0	—	—	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL D
AERODROME: SHIMOJISHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF OCCURRENCE OF CONCURRENT WIND DIRECTION (IN 30 ° SECTORS) AND SPEED (IN KNOTS) WITHIN SPECIFIED RANGES												
WIND DIRECTION	WIND SPEED (kt)											TOTAL
	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	41-45	46-50	>50	
CALM												0)
VARIABLE	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[35-36-01]	0)	1)	2)	3)	3)	2)	1)	0)	0)	0)	0)	12)
[02-03-04]	0)	2)	4)	5)	3)	1)	0)	0)	0)	0)	0)	16)
[05-06-07]	1)	3)	6)	4)	1)	0)	0)	0)	0)	0)	0)	15)
[08-09-10]	2)	4)	4)	2)	0)	0)	0)	0)	0)	0)	0)	12)
[11-12-13]	2)	3)	2)	1)	0)	0)	0)	0)	0)	0)	0)	9)
[14-15-16]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	10)
[17-18-19]	1)	4)	5)	2)	0)	0)	0)	0)	0)	0)	0)	13)
[20-21-22]	1)	3)	3)	1)	0)	0)	0)	0)	0)	0)	0)	7)
[23-24-25]	0)	1)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
[26-27-28]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[29-30-31]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	1)
[32-33-34]	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	0)	2)
TOTAL	11)	26)	29)	19)	9)	5)	1)	0)	0)	0)	0)	

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JAN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	6	68	25	1	—	—
01	—	—	—	—	—	—	3	58	37	1	—	—
02	—	—	—	—	—	1	4	53	41	2	—	—
03	—	—	—	—	—	1	4	52	41	3	—	—
04	—	—	—	—	—	—	3	51	44	2	—	—
05	—	—	—	—	—	1	3	46	48	2	—	—
06	—	—	—	—	—	1	4	51	44	1	—	—
07	—	—	—	—	—	1	5	57	37	1	—	—
08	—	—	—	—	—	1	5	61	33	1	—	—
09	—	—	—	—	—	1	6	67	26	—	—	—
10	—	—	—	—	—	1	7	70	23	—	—	—
11	—	—	—	—	—	1	8	70	21	—	—	—
12	—	—	—	—	—	1	8	73	18	—	—	—
13	—	—	—	—	—	1	10	71	19	—	—	—
14	0)	0)	0)	0)	0)	1)	8)	74)	17)	0)	0)	0)
15	0)	0)	0)	0)	0)	1)	10)	73)	16)	0)	0)	0)
16	0)	0)	0)	0)	0)	1)	12)	70)	18)	0)	0)	0)
17	0)	0)	0)	0)	0)	1)	12)	70)	18)	0)	0)	0)
18	0)	0)	0)	0)	0)	1)	14)	68)	18)	0)	0)	0)
19	0)	0)	0)	0)	0)	1)	15)	67)	18)	0)	0)	0)
20	0)	0)	0)	0)	0)	2)	14)	68)	17)	0)	0)	0)
21	—	—	—	—	—	2	16	65	17	—	—	—
22	—	—	—	—	—	1	15	65	18	—	—	—
23	—	—	—	—	—	1	15	65	19	—	—	—
MEAN	0)	0)	0)	0)	0)	1)	9)	64)	26)	1)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIMOJISHIMA AIRPORT MONTH: FEB

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	8	50	42	—	—	—
01	—	—	—	—	—	—	6	50	43	1	—	—
02	—	—	—	—	—	—	5	45	47	3	—	—
03	—	—	—	—	—	—	5	41	51	4	—	—
04	—	—	—	—	—	—	4	39	53	4	—	—
05	—	—	—	—	—	—	6	37	54	4	—	—
06	—	—	—	—	—	—	7	39	52	2	—	—
07	—	—	—	—	—	—	6	44	48	2	—	—
08	—	—	—	—	—	—	7	48	44	1	—	—
09	—	—	—	—	—	—	9	51	39	—	—	—
10	—	—	—	—	—	—	10	56	34	—	—	—
11	—	—	—	—	—	—	12	54	34	—	—	—
12	—	—	—	—	—	—	11	58	31	—	—	—
13	—	—	—	—	—	—	13	56	30	—	—	—
14	—	—	—	—	—	—	13	60	27	—	—	—
15	—	—	—	—	—	—	13	60	27	—	—	—
16	—	—	—	—	—	—	12	61	27	—	—	—
17	—	—	—	—	—	1	13	57	29	—	—	—
18	—	—	—	—	—	1	15	57	27	—	—	—
19	—	—	—	—	—	—	16	57	27	—	—	—
20	—	—	—	—	—	1	13	57	28	—	—	—
21	—	—	—	—	—	—	14	60	26	—	—	—
22	—	—	—	—	—	—	15	61	25	—	—	—
23	—	—	—	—	—	—	13	55	32	—	—	—
MEAN	—	—	—	—	—	0	10	52	37	1	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	1	34	65	1	—	—
01	—	—	—	—	—	—	1	30	63	6	—	—
02	—	—	—	—	—	—	—	27	63	10	—	—
03	—	—	—	—	—	—	—	26	59	15	—	—
04	—	—	—	—	—	—	—	26	55	18	—	—
05	—	—	—	—	—	—	—	25	60	15	—	—
06	—	—	—	—	—	—	—	25	61	14	—	—
07	—	—	—	—	—	—	1	28	61	10	—	—
08	—	—	—	—	—	—	1	31	66	3	—	—
09	—	—	—	—	—	—	1	36	62	1	—	—
10	—	—	—	—	—	—	1	40	59	—	—	—
11	—	—	—	—	—	—	3	43	54	—	—	—
12	—	—	—	—	—	—	2	45	53	—	—	—
13	0)	0)	0)	0)	0)	0)	2)	46)	52)	0)	0)	0)
14	0)	0)	0)	0)	0)	0)	3)	45)	52)	0)	0)	0)
15	0)	0)	0)	0)	0)	0)	3)	47)	50)	0)	0)	0)
16	0)	0)	0)	0)	0)	0)	4)	49)	47)	0)	0)	0)
17	0)	0)	0)	0)	0)	0)	4)	49)	47)	0)	0)	0)
18	0)	0)	0)	0)	0)	0)	5)	50)	45)	0)	0)	0)
19	—	—	—	—	—	—	5	49	46	—	—	—
20	—	—	—	—	—	—	6	50	44	—	—	—
21	—	—	—	—	—	—	5	52	43	—	—	—
22	—	—	—	—	—	—	5	50	45	—	—	—
23	—	—	—	—	—	—	1	43	55	—	—	—
MEAN	0)	0)	0)	0)	0)	0)	2)	40)	54)	4)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT MONTH: APR
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	8	67	25	—	—
01	—	—	—	—	—	—	—	7	57	36	—	—
02	—	—	—	—	—	—	—	5	53	43	—	—
03	—	—	—	—	—	—	—	5	51	44	—	—
04	—	—	—	—	—	—	—	3	50	47	—	—
05	—	—	—	—	—	—	—	4	48	48	—	—
06	—	—	—	—	—	—	—	3	52	45	—	—
07	—	—	—	—	—	—	—	6	54	40	—	—
08	—	—	—	—	—	—	—	9	61	30	—	—
09	—	—	—	—	—	—	—	8	71	21	—	—
10	—	—	—	—	—	—	—	13	75	13	—	—
11	—	—	—	—	—	—	—	14	75	11	—	—
12	—	—	—	—	—	—	—	14	77	9	—	—
13	—	—	—	—	—	—	—	13	77	9	—	—
14	—	—	—	—	—	—	—	15	76	9	—	—
15	—	—	—	—	—	—	1	15	77	7	—	—
16	—	—	—	—	—	—	1	16	76	7	—	—
17	—	—	—	—	—	—	—	19	74	7	—	—
18	—	—	—	—	—	—	—	19	73	8	—	—
19	—	—	—	—	—	—	—	21	71	8	—	—
20	—	—	—	—	—	—	1	20	72	7	—	—
21	—	—	—	—	—	—	—	23	69	7	—	—
22	—	—	—	—	—	—	1	20	72	7	—	—
23	—	—	—	—	—	—	—	11	74	15	—	—
MEAN	—	—	—	—	—	—	0	12	67	21	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT MONTH: MAY
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	1	28	70	1	—
01	—	—	—	—	—	—	—	1	21	75	3	—
02	—	—	—	—	—	—	—	1	17	75	6	—
03	—	—	—	—	—	—	—	1	15	75	8	—
04	—	—	—	—	—	—	—	—	15	77	8	—
05	—	—	—	—	—	—	—	—	19	74	7	—
06	—	—	—	—	—	—	—	—	20	74	6	—
07	—	—	—	—	—	—	—	—	21	74	5	—
08	—	—	—	—	—	—	—	1	23	74	3	—
09	—	—	—	—	—	—	—	2	27	71	—	—
10	—	—	—	—	—	—	—	1	37	62	—	—
11	—	—	—	—	—	—	—	3	41	56	—	—
12	—	—	—	—	—	—	—	3	41	56	—	—
13	—	—	—	—	—	—	—	2	45	54	—	—
14	—	—	—	—	—	—	—	3	43	54	—	—
15	—	—	—	—	—	—	—	3	45	52	—	—
16	—	—	—	—	—	—	—	4	48	48	—	—
17	—	—	—	—	—	—	—	5	48	48	—	—
18	—	—	—	—	—	—	—	4	50	46	—	—
19	—	—	—	—	—	—	—	4	50	46	—	—
20	—	—	—	—	—	—	—	3	48	48	—	—
21	—	—	—	—	—	—	—	4	48	48	—	—
22	—	—	—	—	—	—	—	2	42	56	—	—
23	—	—	—	—	—	—	—	1	32	68	—	—
MEAN	—	—	—	—	—	—	—	2	34	62	2	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUN
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	—	1	65	34	—
01	—	—	—	—	—	—	—	—	1	45	53	—
02	—	—	—	—	—	—	—	—	1	43	57	—
03	—	—	—	—	—	—	—	—	—	37	63	—
04	—	—	—	—	—	—	—	—	1	39	60	—
05	—	—	—	—	—	—	—	—	—	42	58	—
06	—	—	—	—	—	—	—	—	1	43	57	—
07	—	—	—	—	—	—	—	—	2	45	53	—
08	—	—	—	—	—	—	—	—	2	53	45	—
09	—	—	—	—	—	—	—	—	2	73	25	—
10	—	—	—	—	—	—	—	—	—	94	6	—
11	—	—	—	—	—	—	—	—	1	99	—	—
12	—	—	—	—	—	—	—	—	3	97	—	—
13	—	—	—	—	—	—	—	—	1	99	—	—
14	—	—	—	—	—	—	—	—	3	97	—	—
15	—	—	—	—	—	—	—	—	3	97	—	—
16	—	—	—	—	—	—	—	—	4	96	—	—
17	—	—	—	—	—	—	—	—	5	95	—	—
18	—	—	—	—	—	—	—	—	6	94	—	—
19	—	—	—	—	—	—	—	—	5	95	—	—
20	—	—	—	—	—	—	—	—	7	93	—	—
21	—	—	—	—	—	—	—	—	5	95	—	—
22	—	—	—	—	—	—	—	—	3	96	1	—
23	—	—	—	—	—	—	—	—	1	81	17	—
MEAN	—	—	—	—	—	—	—	—	2	76	22	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT MONTH: JUL
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	—	—	35	65	—
01	—	—	—	—	—	—	—	—	—	21	79	—
02	—	—	—	—	—	—	—	—	—	17	83	—
03	—	—	—	—	—	—	—	—	—	15	85	—
04	—	—	—	—	—	—	—	—	—	11	89	—
05	—	—	—	—	—	—	—	—	—	13	87	—
06	—	—	—	—	—	—	—	—	—	17	83	—
07	—	—	—	—	—	—	—	—	—	20	80	—
08	—	—	—	—	—	—	—	—	—	28	72	—
09	—	—	—	—	—	—	—	—	—	41	59	—
10	—	—	—	—	—	—	—	—	1	79	20	—
11	—	—	—	—	—	—	—	—	1	95	5	—
12	—	—	—	—	—	—	—	—	1	97	3	—
13	—	—	—	—	—	—	—	—	1	96	3	—
14	—	—	—	—	—	—	—	—	1	97	2	—
15	—	—	—	—	—	—	—	—	1	98	1	—
16	—	—	—	—	—	—	—	—	—	100	—	—
17	—	—	—	—	—	—	—	—	—	100	—	—
18	—	—	—	—	—	—	—	—	—	99	1	—
19	—	—	—	—	—	—	—	—	—	100	—	—
20	—	—	—	—	—	—	—	—	1	99	—	—
21	—	—	—	—	—	—	—	—	1	99	—	—
22	—	—	—	—	—	—	—	—	—	99	1	—
23	—	—	—	—	—	—	—	—	—	69	31	—
MEAN	—	—	—	—	—	—	—	—	0	64	35	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT MONTH: AUG
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	—	—	61	39	—
01	—	—	—	—	—	—	—	—	—	39	61	—
02	—	—	—	—	—	—	—	—	—	32	68	—
03	—	—	—	—	—	—	—	—	—	30	70	—
04	—	—	—	—	—	—	—	—	—	25	75	—
05	—	—	—	—	—	—	—	—	1	28	72	—
06	—	—	—	—	—	—	—	—	1	35	64	—
07	—	—	—	—	—	—	—	—	—	38	62	—
08	—	—	—	—	—	—	—	—	—	50	50	—
09	—	—	—	—	—	—	—	—	—	65	35	—
10	—	—	—	—	—	—	—	—	—	90	10	—
11	—	—	—	—	—	—	—	—	—	100	—	—
12	—	—	—	—	—	—	—	—	1	99	1	—
13	—	—	—	—	—	—	—	—	—	100	—	—
14	—	—	—	—	—	—	—	—	—	100	—	—
15	—	—	—	—	—	—	—	—	1	99	—	—
16	—	—	—	—	—	—	—	—	1	99	—	—
17	—	—	—	—	—	—	—	—	1	99	—	—
18	—	—	—	—	—	—	—	—	1	99	—	—
19	—	—	—	—	—	—	—	—	—	100	—	—
20	—	—	—	—	—	—	—	—	2	98	—	—
21	—	—	—	—	—	—	—	—	1	99	—	—
22	—	—	—	—	—	—	—	—	—	99	1	—
23	—	—	—	—	—	—	—	—	—	86	14	—
MEAN	—	—	—	—	—	—	—	—	0	74	26	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT MONTH: SEP
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	—	—	82	18	—
01	—	—	—	—	—	—	—	—	—	66	34	—
02	—	—	—	—	—	—	—	—	—	55	45	—
03	—	—	—	—	—	—	—	—	—	53	47	—
04	—	—	—	—	—	—	—	—	1	47	52	—
05	—	—	—	—	—	—	—	—	1	50	49	—
06	—	—	—	—	—	—	—	—	2	51	47	—
07	—	—	—	—	—	—	—	—	1	68	31	—
08	—	—	—	—	—	—	—	—	1	79	20	—
09	—	—	—	—	—	—	—	—	2	89	9	—
10	—	—	—	—	—	—	—	—	3	94	3	—
11	—	—	—	—	—	—	—	—	3	97	—	—
12	0)	0)	0)	0)	0)	0)	0)	0)	3)	97)	0)	0)
13	0)	0)	0)	0)	0)	0)	0)	0)	5)	95)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	0)	3)	97)	0)	0)
15	0)	0)	0)	0)	0)	0)	0)	0)	4)	96)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	0)	8)	92)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	0)	8)	92)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	0)	15)	85)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	0)	12)	88)	0)	0)
20	—	—	—	—	—	—	—	—	14	86	—	—
21	—	—	—	—	—	—	—	—	11	89	—	—
22	—	—	—	—	—	—	—	—	6	94	—	—
23	—	—	—	—	—	—	—	—	1	96	3	—
MEAN	0)	0)	0)	0)	0)	0)	0)	0)	4)	81)	15)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E

AERODROME: SHIMOJISHIMA AIRPORT MONTH: OCT

PERIOD OF RECORD: 2012-2016

TOTAL NUMBER OF OBSERVATIONS: 24

LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	—	12	88	—	—
01	—	—	—	—	—	—	—	—	9	88	3	—
02	—	—	—	—	—	—	—	—	10	81	9	—
03	—	—	—	—	—	—	—	—	6	80	14	—
04	—	—	—	—	—	—	—	—	10	76	14	—
05	—	—	—	—	—	—	—	—	7	79	14	—
06	—	—	—	—	—	—	—	—	7	87	6	—
07	—	—	—	—	—	—	—	—	12	85	3	—
08	—	—	—	—	—	—	—	—	17	83	—	—
09	—	—	—	—	—	—	—	—	32	68	—	—
10	—	—	—	—	—	—	—	—	37	63	—	—
11	—	—	—	—	—	—	—	—	41	59	—	—
12	—	—	—	—	—	—	—	—	41	59	—	—
13	—	—	—	—	—	—	—	1	41	58	—	—
14	—	—	—	—	—	—	—	—	41	59	—	—
15	—	—	—	—	—	—	—	—	47	53	—	—
16	—	—	—	—	—	—	—	—	48	52	—	—
17	—	—	—	—	—	—	—	—	46	54	—	—
18	—	—	—	—	—	—	—	—	48	52	—	—
19	—	—	—	—	—	—	—	1	46	53	—	—
20	—	—	—	—	—	—	—	—	50	50	—	—
21	—	—	—	—	—	—	—	—	49	51	—	—
22	—	—	—	—	—	—	—	—	49	51	—	—
23	—	—	—	—	—	—	—	—	33	67	—	—
MEAN	—	—	—	—	—	—	—	0	31	67	3	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT MONTH: NOV
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	—	7	54	39	—	—
01	—	—	—	—	—	—	—	5	48	47	—	—
02	—	—	—	—	—	—	—	5	44	51	—	—
03	—	—	—	—	—	—	—	5	37	58	—	—
04	—	—	—	—	—	—	—	5	35	61	—	—
05	—	—	—	—	—	—	—	7	41	52	—	—
06	—	—	—	—	—	—	—	7	47	47	—	—
07	—	—	—	—	—	—	—	7	51	41	—	—
08	—	—	—	—	—	—	—	7	63	30	—	—
09	—	—	—	—	—	—	—	8	74	18	—	—
10	—	—	—	—	—	—	—	9	77	15	—	—
11	—	—	—	—	—	—	—	9	78	13	—	—
12	—	—	—	—	—	—	—	10	79	11	—	—
13	0)	0)	0)	0)	0)	0)	0)	10)	81)	10)	0)	0)
14	0)	0)	0)	0)	0)	0)	0)	10)	79)	12)	0)	0)
15	0)	0)	0)	0)	0)	0)	1)	10)	81)	9)	0)	0)
16	0)	0)	0)	0)	0)	0)	0)	10)	80)	10)	0)	0)
17	0)	0)	0)	0)	0)	0)	0)	11)	80)	9)	0)	0)
18	0)	0)	0)	0)	0)	0)	0)	10)	84)	6)	0)	0)
19	0)	0)	0)	0)	0)	0)	0)	11)	84)	5)	0)	0)
20	0)	0)	0)	0)	0)	0)	0)	13)	80)	7)	0)	0)
21	0)	0)	0)	0)	0)	0)	1)	13)	81)	6)	0)	0)
22	—	—	—	—	—	—	1	11	81	7	—	—
23	—	—	—	—	—	—	—	7	73	19	—	—
MEAN	0)	0)	0)	0)	0)	0)	0)	9)	67)	24)	0)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT MONTH: DEC
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	3	43	52	3	—	—
01	—	—	—	—	—	—	2	36	55	7	—	—
02	—	—	—	—	—	—	1	34	55	10	—	—
03	—	—	—	—	—	—	2	28	55	14	—	—
04	—	—	—	—	—	—	1	32	57	10	—	—
05	—	—	—	—	—	—	2	31	57	10	—	—
06	—	—	—	—	—	—	2	34	56	8	—	—
07	—	—	—	—	—	—	2	36	55	7	—	—
08	—	—	—	—	—	—	3	40	55	3	—	—
09	—	—	—	—	—	—	3	46	50	1	—	—
10	—	—	—	—	—	—	3	46	51	1	—	—
11	—	—	—	—	—	—	2	48	49	1	—	—
12	—	—	—	—	—	—	3	48	48	1	—	—
13	—	—	—	—	—	—	3	52	45	—	—	—
14	—	—	—	—	—	—	3	51	46	—	—	—
15	—	—	—	—	—	—	3	54	44	—	—	—
16	—	—	—	—	—	—	2	55	43	—	—	—
17	—	—	—	—	—	—	3	55	43	—	—	—
18	—	—	—	—	—	—	3	54	43	—	—	—
19	—	—	—	—	—	—	4	55	41	—	—	—
20	—	—	—	—	—	—	4	54	42	—	—	—
21	—	—	—	—	—	—	5	53	43	—	—	—
22	—	—	—	—	—	—	4	54	42	—	—	—
23	—	—	—	—	—	—	3	52	44	1	—	—
MEAN	—	—	—	—	—	—	3	46	49	3	—	—

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY TABULAR FORM MODEL E
AERODROME: SHIMOJISHIMA AIRPORT [ANNUAL]
PERIOD OF RECORD: 2012-2016
TOTAL NUMBER OF OBSERVATIONS: 24
LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

FREQUENCIES (PER CENT) OF THE AIR TEMPERATURE IN SPECIFIED RANGES OF 5°C AT SPECIFIED TIMES												
TIME (UTC)	TEMPERATURE (°C)											
	<-15	-15 to -10	-10 to -5	-5 to 0	0 to 5	5 to 10	10 to 15	15 to 20	20 to 25	25 to 30	30 to 35	≥35
00	—	—	—	—	—	—	1	18	29	39	13	—
01	—	—	—	—	—	—	1	16	28	36	20	—
02	—	—	—	—	—	0	1	14	27	35	22	—
03	—	—	—	—	—	0	1	13	26	36	24	—
04	—	—	—	—	—	—	1	13	26	35	25	—
05	—	—	—	—	—	0	1	12	28	35	24	—
06	—	—	—	—	—	0	1	13	28	35	22	—
07	—	—	—	—	—	0	1	15	28	36	20	—
08	—	—	—	—	—	0	1	16	30	36	16	—
09	—	—	—	—	—	0	1	18	32	38	11	—
10	—	—	—	—	—	0	2	19	33	43	3	—
11	—	—	—	—	—	0	2	20	33	44	0	—
12	0)	0)	0)	0)	0)	0)	2)	21)	33)	44)	0)	0)
13	0)	0)	0)	0)	0)	0)	2)	21)	33)	44)	0)	0)
14	0)	0)	0)	0)	0)	0)	2)	21)	32)	44)	0)	0)
15	0)	0)	0)	0)	0)	0)	2)	22)	33)	43)	0)	0)
16	0)	0)	0)	0)	0)	0)	2)	22)	33)	42)	0)	0)
17	0)	0)	0)	0)	0)	0)	3)	22)	33)	42)	0)	0)
18	0)	0)	0)	0)	0)	0)	3)	22)	34)	41)	0)	0)
19	0)	0)	0)	0)	0)	0)	3)	22)	33)	42)	0)	0)
20	0)	0)	0)	0)	0)	0)	3)	22)	34)	41)	0)	0)
21	0)	0)	0)	0)	0)	0)	3)	22)	33)	41)	0)	0)
22	—	—	—	—	—	0	3	22	32	43	0	—
23	—	—	—	—	—	0	3	19	30	42	5	—
MEAN	0)	0)	0)	0)	0)	0)	2)	19)	31)	40)	9)	0)

NOTE: THE RANGE 5 to 10 COMPRISES THE VALUES 5.0 TO 9.9 INCLUSIVE

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft**

MONTHLY MEAN													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily mean air temperature(°C)	18.3	18.9	20.3	22.8	25.6	28.6	29.4	28.8	28.0	25.9	23.3	20.1	24.2
Daily maximum air temperature(°C)	21.0	21.6	23.2	25.6	28.4	31.2	32.4	31.8	31.0	28.9	26.3	22.6	27.0
Daily minimum air temperature(°C)	15.7	16.5	17.8	20.5	23.2	26.7	26.9	26.4	25.6	23.6	21.0	17.9	21.8
MONTHLY TOTAL													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Precipitation (mm)	155.7	95.3	100.0	163.8	277.9	118.0	103.0	223.1	169.5	76.5	200.5	128.5	1811.8
Snow fall(cm)													
EXTREMES													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air pressure(hPa)	1003.2	1005.1	1006.3	997.5	985.3	993.0	965.5	968.6	956.0	965.4	1007.8	1005.5	956.0
Daily maximum air temperature(°C)	27.5	26.8	27.4	29.1	31.8	33.9	36.1	35.0	34.4	32.0*	29.9*	28.6	36.1
Daily minimum air temperature(°C)	7.0	7.7	9.9	13.6	15.5	22.4*	23.6	23.3	20.1	18.8	13.3	9.9	7.0
Daily precipitation(mm)	93.0	52.5	65.5	130.5	103.0	55.5	93.0	142.0	239.0	71.5	219.5	84.5	239.0
Daily max.one-hour precipitation(mm)	45.5	18.0	35.5	105.0	65.0	35.5*	36.5	49.5	39.0	21.5	97.0	27.0	105.0
Daily max.ten-minute precipitation(mm)	22.5	10.0	15.5	28.0	31.5	10.5	9.5	19.0	17.5	8.5	29.5	17.5	31.5
Daily totals of snowfall(cm)													
Daily maximum of snow cover(cm)													
Daily maximum wind speed(kt)	41	36	36	34	90	45	65	63	76	71	35 *	43	90
with wind direction(36DIR.)	1	3	36	36	24	21	10	18	34	35	2	36	24
Daily maximum peak gust(kt)	51 *	46	48	42	114	56	85	84	98	82	43 *	52	114
with wind direction(36DIR.)	36	35	35	1	25	23	11	18	34	33	10	35	25

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft**

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS													
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily minimum air temperature < 0.0°C	—	—	—	—	—	—	—	—	—	—	—	—	—
≥ 25.0°C	—	—	—	0.6	7.4	25.2	29.6	27.6	22.0	7.6	0.4	—	120.4
Daily mean air temperature < 0.0°C	—	—	—	—	—	—	—	—	—	—	—	—	—
≥ 25.0°C	—	—	—	4.6	20.2	30.0	31.0	31.0	29.0	22.0	6.6	—	174.4
Daily maximum air temperature < 0.0°C	—	—	—	—	—	—	—	—	—	—	—	—	—
≥ 25.0°C	1.6	3.2	10.4	19.6	29.6	30.0	31.0	31.0	30.0	30.6	22.2	6.4	245.6
≥ 30.0°C	—	—	—	—	6.6	24.6	30.4	28.2	24.0	8.8	—	—	122.6
Daily precipitation ≥ 0.0mm	20.6	18.2	17.2	18.8	22.0	17.4	19.8	26.0	22.0	21.4	20.6	22.6	246.6
≥ 1.0mm	11.2	10.8	9.0	10.4	11.0	9.0	9.4	12.4	10.2	9.2	8.8	11.2	122.6
≥ 5.0mm	7.2	5.8	5.0	7.0	8.4	4.8	5.4	8.4	6.0	4.4	5.2	7.0	74.6
≥ 10.0mm	4.8	2.8	2.8	5.6	6.2	3.6	2.8	5.8	3.8	2.0	4.8	4.8	49.8
≥ 30.0mm	1.2	0.8	0.8	1.2	3.8	1.4	0.8	1.8	1.2	0.6	2.0	0.6	16.2
≥ 50.0mm	0.4	0.2	0.4	0.4	1.8	0.2	0.2	1.4	0.8	0.2	0.8	0.4	7.2
≥ 70.0mm	0.4	—	—	0.4	0.8	—	0.2	0.8	0.2	0.2	0.6	0.2	3.8
≥ 100.0mm	—	—	—	0.2	0.2	—	—	0.4	0.2	—	0.4	—	1.4

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft**

NUMBER OF DAYS IN THE MONTH WITH PARAMETERS BEYOND CERTAIN THRESHOLDS														
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
Daily total depth of snowfall	≥ 0cm													
	≥ 5cm													
	≥ 10cm													
	≥ 20cm													
	≥ 50cm													
	≥ 100cm													
Daily max.depth of snow cover	≥ 0cm													
	≥ 5cm													
	≥ 10cm													
	≥ 20cm													
	≥ 50cm													
	≥ 100cm													
Daily maximum wind speed	≥ 200cm													
	≥ 20kt	23.2	19.6	16.4	12.6	7.8	6.4	8.0	10.8	10.4	18.6	17.6	24.4	175.8
	≥ 30kt	5.8	5.2	2.4	1.2	1.2	0.8	2.6	4.0	3.2	5.6	3.8	6.4	42.2
	≥ 40kt	0.4	—	—	—	0.4	0.2	1.2	1.2	0.8	1.0	—	0.4	5.6
	≥ 50kt	—	—	—	—	0.2	—	0.6	0.2	0.4	0.6	—	—	2.0

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft****AIR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1020.1	1019.1	1017.6	1013.5	1009.7	1006.5	1006.6	1005.1	1008.7	1012.6	1017.4	1019.4	1013.0
01	1020.5	1019.4	1017.8	1013.8	1009.9	1006.6	1006.7	1005.2	1008.9	1012.8	1017.6	1019.8	1013.3
02	1020.3	1019.2	1017.7	1013.7	1009.8	1006.6	1006.7	1005.2	1008.8	1012.6	1017.4	1019.6	1013.2
03	1019.7	1018.7	1017.3	1013.4	1009.7	1006.5	1006.6	1005.0	1008.5	1012.1	1016.8	1019.0	1012.8
04	1018.7	1018.0	1016.7	1013.0	1009.3	1006.2	1006.3	1004.8	1008.0	1011.5	1016.0	1018.1	1012.2
05	1018.0	1017.2	1016.0	1012.3	1008.9	1005.9	1006.0	1004.4	1007.5	1010.9	1015.4	1017.4	1011.7
06	1017.7	1016.7	1015.5	1011.8	1008.5	1005.6	1005.7	1004.1	1007.2	1010.5	1015.1	1017.2	1011.3
07	1017.6	1016.6	1015.2	1011.5	1008.3	1005.4	1005.5	1003.9	1007.0	1010.5	1015.1	1017.1	1011.1
08	1018.0	1016.8	1015.4	1011.5	1008.1	1005.3	1005.3	1003.8	1007.1	1010.7	1015.4	1017.5	1011.2
09	1018.4	1017.2	1015.6	1011.7	1008.3	1005.4	1005.3	1003.9	1007.3	1011.0	1015.8	1018.0	1011.5
10	1018.8	1017.6	1016.0	1012.2	1008.6	1005.7	1005.6	1004.2	1007.6	1011.4	1016.2	1018.5	1011.9
11	1019.3	1018.0	1016.4	1012.5	1009.0	1006.1	1006.1	1004.6	1008.0	1011.9	1016.6	1018.9	1012.3
12	1019.5	1018.4	1016.9	1013.1	1009.5	1006.6	1006.5	1005.1	1008.5	1012.3	1016.9	1019.2	1012.7
13	1019.6	1018.5	1017.3	1013.5	1009.9	1006.9	1007.0	1005.5	1008.7	1012.4	1017.1	1019.3	1013.0
14	1019.7	1018.6	1017.3	1013.5	1010.0	1007.2	1007.1	1005.6	1008.7	1012.3	1017.0	1019.3	1013.0
15	1019.5	1018.5	1017.1	1013.3	1009.7	1007.0	1006.9	1005.3	1008.5	1012.2	1016.8	1019.0	1012.8
16	1019.3	1018.4	1016.9	1013.1	1009.3	1006.5	1006.7	1004.8	1008.1	1011.8	1016.5	1018.6	1012.5
17	1019.1	1018.1	1016.5	1012.6	1009.0	1006.1	1006.3	1004.3	1007.7	1011.4	1016.2	1018.4	1012.1
18	1018.8	1017.8	1016.2	1012.1	1008.6	1005.7	1005.9	1004.0	1007.4	1011.1	1015.9	1018.0	1011.8
19	1018.6	1017.5	1015.8	1011.9	1008.3	1005.5	1005.7	1003.8	1007.2	1010.9	1015.7	1017.8	1011.5
20	1018.5	1017.4	1015.8	1011.9	1008.4	1005.5	1005.7	1003.9	1007.3	1010.9	1015.6	1017.7	1011.5
21	1018.7	1017.7	1016.2	1012.2	1008.6	1005.7	1005.8	1004.0	1007.6	1011.2	1015.9	1018.0	1011.8
22	1019.2	1018.1	1016.6	1012.6	1009.0	1006.0	1006.1	1004.4	1007.9	1011.7	1016.4	1018.5	1012.2
23	1019.6	1018.6	1017.1	1013.1	1009.4	1006.4	1006.5	1004.8	1008.3	1012.1	1016.9	1019.0	1012.7
MEAN	1019.1	1018.0	1016.6	1012.7	1009.1	1006.1	1006.2	1004.6	1008.0	1011.6	1016.3	1018.5	1012.2

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft****AIR TEMPERATURE (°C) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	18.5	19.0	20.7	23.3	26.2	29.2	30.1	29.6	28.8	26.6	23.9	20.2	24.7
01	19.2	19.6	21.2	23.8	26.6	29.6	30.7	30.1	29.3	27.2	24.5	20.8	25.2
02	19.6	20.0	21.7	24.2	27.0	29.9	31.0	30.4	29.7	27.6	24.9	21.1	25.6
03	19.7	20.2	21.9	24.3	27.1	30.1	31.2	30.5	29.9	27.7	25.1	21.4	25.8
04	19.7	20.4	22.0	24.5	27.2	30.2	31.4	30.6	29.8	27.7	25.0	21.4	25.9
05	19.7	20.4	22.0	24.5	27.1	30.1	31.3	30.5	29.8	27.7	24.8	21.3	25.8
06	19.5	20.2	21.8	24.3	26.9	30.0	31.2	30.3	29.6	27.4	24.6	21.1	25.6
07	19.2	20.0	21.5	24.0	26.6	29.8	30.9	30.2	29.3	27.0	24.2	20.8	25.3
08	18.9	19.5	21.1	23.6	26.3	29.4	30.5	29.9	28.9	26.4	23.7	20.4	24.9
09	18.4	19.0	20.7	23.1	25.9	28.9	30.0	29.4	28.3	25.7	23.2	20.0	24.4
10	18.2	18.6	20.2	22.6	25.3	28.2	29.2	28.7	27.8	25.4	23.0	19.9	23.9
11	18.0	18.5	19.9	22.3	25.0	27.9	28.7	28.3	27.6	25.4	22.9	19.8	23.7
12	17.9	18.4	19.9	22.2	24.9	27.8	28.5	28.2	27.4	25.3	22.8	19.8	23.6
13	17.8	18.3	19.8	22.1	24.7	27.7	28.4	28.1	27.3	25.2	22.7	19.7	23.5
14	17.8	18.2	19.7	22.0	24.7	27.7	28.2	27.9	27.2	25.1	22.7	19.6	23.4
15	17.7	18.2	19.6	21.9	24.6	27.6	28.2	27.9	27.0	25.0	22.5	19.6	23.3
16	17.6	18.1	19.4	21.8	24.4	27.4	28.0	27.8	26.9	25.0	22.6	19.6	23.2
17	17.5	18.0	19.3	21.8	24.4	27.4	28.0	27.6	26.9	24.8	22.5	19.5	23.1
18	17.5	18.0	19.2	21.7	24.4	27.4	27.9	27.5	26.7	24.8	22.4	19.4	23.1
19	17.5	18.0	19.1	21.6	24.4	27.4	27.9	27.5	26.6	24.7	22.4	19.4	23.0
20	17.4	18.0	19.1	21.6	24.4	27.3	27.8	27.4	26.6	24.6	22.3	19.4	23.0
21	17.4	17.9	19.1	21.6	24.4	27.4	27.8	27.4	26.6	24.6	22.2	19.5	23.0
22	17.5	17.9	19.1	21.9	24.9	27.9	28.4	27.9	26.9	24.7	22.2	19.4	23.2
23	17.6	18.2	19.9	22.6	25.7	28.7	29.4	28.9	28.1	25.7	23.0	19.7	24.0
MEAN	18.3	18.8	20.3	22.8	25.5	28.5	29.4	28.9	28.0	25.9	23.3	20.1	24.2

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft****VAPOR PRESSURE (hPa) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	15.0	16.3	18.0	22.0	27.0	32.0	31.5	31.5	29.1	24.6	20.9	16.5	23.7
01	14.9	16.2	17.9	22.2	27.1	32.2	31.6	31.5	29.1	24.7	20.8	16.6	23.8
02	14.9	16.2	17.9	22.2	27.2	32.3	31.4	31.6	29.2	24.6	20.7	16.6	23.7
03	14.9	16.2	18.0	22.1	27.1	32.2	31.6	31.7	29.3	24.8	20.8	16.5	23.8
04	15.0	16.2	18.1	22.2	27.1	32.3	31.6	31.7	29.1	24.8	20.8	16.5	23.8
05	15.0	16.1	18.0	22.2	27.1	32.1	31.6	31.5	29.1	24.7	20.8	16.5	23.7
06	15.0	16.2	18.0	22.1	27.0	32.0	31.5	31.3	29.1	24.6	20.7	16.5	23.7
07	14.9	16.1	18.0	22.1	26.8	31.8	31.5	31.3	29.0	24.5	20.7	16.5	23.6
08	14.9	16.0	18.0	22.0	26.7	31.8	31.4	31.3	28.9	24.4	20.7	16.5	23.5
09	14.9	16.1	18.0	21.9	26.5	31.6	31.3	31.3	28.8	24.5	20.8	16.4	23.5
10	14.8	16.1	18.0	21.8	26.4	31.5	31.2	31.2	28.9	24.6	20.9	16.3	23.5
11	14.7	16.0	18.0	21.9	26.5	31.5	31.3	31.3	29.0	24.6	20.9	16.3	23.5
12	14.8	16.1	18.0	21.8	26.5	31.7	31.3	31.3	29.0	24.6	20.8	16.3	23.5
13	14.7	16.1	18.0	21.9	26.5	31.7	31.4	31.4	29.0	24.7	20.8	16.3	23.5
14	14.8	16.0	18.0	21.9	26.6	31.8	31.5	31.4	29.0	24.6	20.8	16.3	23.6
15	14.7	16.0	18.0	21.9	26.6	31.8	31.4	31.3	28.9	24.6	20.8	16.3	23.6
16	14.6	16.1	17.9	21.8	26.4	31.6	31.4	31.3	29.1	24.7	20.8	16.5	23.5
17	14.6	16.0	17.9	21.8	26.5	31.6	31.3	31.3	29.0	24.6	20.8	16.5	23.5
18	14.6	16.0	17.8	21.8	26.6	31.5	31.3	31.2	28.9	24.5	20.7	16.5	23.4
19	14.6	16.1	17.8	21.8	26.6	31.5	31.3	31.2	28.9	24.5	20.7	16.4	23.4
20	14.7	16.1	17.7	21.7	26.5	31.4	31.2	31.1	28.8	24.4	20.6	16.3	23.4
21	14.7	16.0	17.8	21.7	26.6	31.3	31.1	31.0	28.9	24.5	20.5	16.4	23.4
22	14.7	16.0	17.7	21.9	27.0	31.7	31.5	31.6	29.0	24.5	20.5	16.3	23.5
23	14.8	16.1	18.1	22.0	27.1	31.9	31.6	31.8	29.4	24.9	20.9	16.4	23.7
MEAN	14.8	16.1	17.9	21.9	26.8	31.8	31.4	31.4	29.0	24.6	20.8	16.4	23.6

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft****RELATIVE HUMIDITY (%) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	69	72	72	76	78	79	74	76	74	70	69	68	73
01	66	70	69	74	77	77	71	74	71	68	67	66	71
02	65	68	68	73	75	76	70	73	70	66	65	65	69
03	64	67	67	72	75	75	70	73	70	66	65	64	69
04	65	66	67	71	75	75	69	73	70	66	65	64	69
05	65	66	67	71	75	75	69	72	70	66	66	64	69
06	65	67	67	72	75	75	70	73	70	67	66	65	70
07	66	68	68	73	76	76	71	73	71	68	68	66	71
08	67	69	70	74	77	78	72	74	72	71	69	68	72
09	69	72	72	76	79	79	74	77	75	73	72	69	74
10	70	73	74	79	81	82	77	79	77	75	73	69	76
11	70	74	75	80	83	84	80	82	78	75	74	69	77
12	71	74	76	80	84	85	80	82	79	76	74	70	77
13	71	75	76	81	84	85	81	83	80	76	75	70	78
14	71	75	76	81	85	86	82	83	80	77	75	70	78
15	72	75	77	82	85	86	82	84	81	77	75	70	79
16	71	76	77	82	85	87	83	84	82	77	75	71	79
17	71	75	78	82	86	87	83	85	82	78	75	71	79
18	72	76	78	82	86	87	83	85	83	78	76	72	79
19	72	76	78	83	86	86	83	85	83	78	76	72	80
20	72	76	79	82	86	86	84	85	83	78	76	71	80
21	73	76	79	83	86	86	84	85	83	78	76	71	80
22	72	76	78	82	85	84	82	84	82	78	76	71	79
23	72	75	76	79	82	82	77	80	78	75	73	70	76
MEAN	69	72	73	78	81	82	77	80	77	73	72	68	75

AERODROME CLIMATOLOGICAL SUMMARY

AERODROME: SHIMOJISHIMA AIRPORT

PERIOD OF RECORD: 2012-2016

LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft

MOST FREQUENT WIND DIRECTION (36 DIR.) AT SPECIFIED TIMES

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	1	1	36	19 *	20	19	19	19 *	6	5	4	3	3
01	1	36	1	19 *	19	19	19	15	7 *	4 *	3	2	1
02	1	1	6	19	19	19	14	15	3 *	3	3	1	1
03	2	36 *	6	19	20	19	18	18	2	3	3	3	3
04	2	36	1	17	19	19	19	19	3	3	3	1	1
05	2	1	36	19	20	22	19 *	19	3	3	3	1	1
06	1	2	7	19	7	19	19	19	3	3	5	1	2
07	1	1	36	19	8	21	18	18	5	3	3 *	2	1
08	1	1	1	18 *	8 *	21	19	20 *	5	3	5 *	1	1
09	2 *	1	1	18	5 *	20	19	16	1	3	4	1	1
10	2	1 *	1	18 *	7 *	18 *	15	19	4	4	6	1	1
11	2	1	1	10 *	8	18	18 *	19	6 *	5	6	1	1
12	1	1	1	17	10	18	19	15	7)	5	8 *	1	7)
13	5	2	2)	17 *	19 *	18	19	19	7)	5	8)	1	7)
14	5)	2	11)	15	7	18	18	18	7)	4	8)	1	18)
15	1)	2 *	6)	15 *	19	18	18	19	7)	4	7)	1	8)
16	3)	1	11)	16	18	19	18	19	6)	4	1)	1	11)
17	5)	2	1)	17	19	19	19	18	7)	4	7)	7 *	19)
18	3)	3	17)	17 *	18	19	19	18	5)	3	2)	6	18)
19	5)	2	36	18	19	19	19	19	11)	6 *	2)	2 *	19)
20	2)	2	11	18	19 *	19	19	18	10	2	9)	2	2)
21	2	2	11 *	18	19 *	19	19	19 *	7 *	4	2)	7	2)
22	2	3	1	18	19	20	18	14	10	5	7	2	18
23	1	1	36 *	19	19	19	18	18	11	5	4	2	5
ALL	1)	1	1)	18	19	19	19	19	7)	5	2)	1	1)

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft****WIND SPEED (kt) AT SPECIFIED TIMES**

TIME (UTC)	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
00	16.3	15.4	13.8	12.4	11.3	12.1	12.5	12.2	13.1	16.6	14.9	17.5	14.0
01	16.7	15.9	14.5	12.9	11.7	12.4	13.1	12.5	13.5	17.0	15.4	17.3	14.4
02	17.2	16.2	14.8	13.2	12.0	12.6	13.3	13.0	13.6	17.2	15.7	17.3	14.7
03	16.8	16.4	14.9	13.6	12.3	12.4	13.7	13.4	13.7	17.1	15.6	17.5	14.8
04	16.6	16.3	14.8	13.6	12.1	12.4	13.7	13.5	13.9	17.1	15.8	17.5	14.8
05	16.9	16.3	14.7	13.6	12.2	12.4	13.4	13.5	13.9	17.1	15.7	17.7	14.8
06	17.1	16.2	14.7	13.3	11.8	12.3	13.5	13.0	13.7	17.4	15.4	17.8	14.7
07	16.9	16.1	14.1	13.3	11.6	12.0	13.4	12.8	13.9	17.6	15.1	18.1	14.6
08	17.0	16.2	13.9	13.0	11.6	11.5	13.1	12.6	13.5	17.5	14.8	18.0	14.4
09	16.5	15.9	13.3	12.7	11.2	11.0	12.6	12.0	13.3	17.0	14.2	18.0	14.0
10	16.4	15.7	13.0	11.9	10.3	9.9	12.1	11.4	12.5	16.8	14.1	17.7	13.5
11	16.2	15.6	13.2	11.6	9.8	9.4	11.1	10.9	12.4	16.4	14.2	17.8	13.2
12	15.8	15.5	13.1	11.3	9.6	9.3	11.1	10.7	12.2	16.1	13.9	17.4	13.0
13	15.7	15.2	13.2	11.2	9.4	9.2	11.1	10.6	12.1	16.0	13.9	17.2	12.9
14	15.4	15.1	12.8	10.8	9.2	9.4	11.1	10.6	11.6	15.7	14.2	16.7	12.7
15	15.1	14.7	12.8	10.8	9.3	9.8	11.3	10.4	11.6	15.3	13.9	16.6	12.6
16	15.1	15.1	12.4	10.7	9.4	10.3	10.9	10.8	11.3	14.6	13.9	16.4	12.6
17	14.5	14.7	12.0	10.9	9.3	10.4	10.8	10.9	11.3	14.6	13.8	16.0	12.5
18	14.9	14.2	12.1	11.0	9.1	10.6	10.8	10.8	11.2	14.5	13.4	16.0	12.4
19	15.4	14.4	12.1	11.2	9.2	10.5	10.6	10.8	11.1	14.5	13.5	16.1	12.4
20	15.5	14.7	12.3	11.2	9.2	11.1	10.5	11.0	11.3	14.7	13.8	16.4	12.6
21	15.8	15.1	12.6	11.1	9.3	10.6	10.4	10.6	11.3	15.0	13.8	16.6	12.7
22	16.0	15.1	12.6	11.0	9.6	10.9	10.6	10.5	11.5	15.1	13.8	16.8	12.8
23	16.0	14.8	12.7	11.3	10.5	11.6	11.7	11.4	12.0	15.6	13.8	16.7	13.2
MEAN	16.1	15.5	13.3	12.0	10.4	11.0	11.9	11.7	12.5	16.1	14.4	17.2	13.5

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	JAN			FEB			MAR			APR		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	18.7	21.3	16.2	18.5	21.2	15.8	19.8	22.7	17.3	21.3	24.3	18.8
02	18.6	21.3	16.2	18.5	21.2	15.9	19.8	22.7	17.4	21.4	24.4	18.9
03	18.7	21.3	16.2	18.5	21.2	16.0	19.8	22.7	17.4	21.6	24.5	19.1
04	18.7	21.3	16.3	18.5	21.1	16.0	19.8	22.7	17.4	21.7	24.6	19.2
05	18.7	21.3	16.3	18.4	21.1	16.0	19.8	22.7	17.4	21.8	24.7	19.3
06	18.7	21.3	16.4	18.4	21.1	15.9	19.8	22.6	17.4	21.9	24.8	19.4
07	18.7	21.3	16.4	18.4	21.1	15.9	19.8	22.6	17.4	21.9	24.9	19.5
08	18.7	21.2	16.5	18.4	21.1	15.9	19.8	22.6	17.4	22.0	25.0	19.6
09	18.7	21.2	16.5	18.4	21.2	15.8	19.8	22.6	17.4	22.1	25.0	19.7
10	18.7	21.2	16.5	18.4	21.2	15.8	19.9	22.6	17.5	22.2	25.1	19.8
11	18.7	21.1	16.5	18.4	21.3	15.8	19.9	22.7	17.6	22.3	25.2	19.9
12	18.6	21.1	16.5	18.5	21.4	15.9	20.0	22.8	17.7	22.4	25.4	20.1
13	18.6	21.0	16.5	18.5	21.4	15.9	20.1	22.9	17.8	22.6	25.5	20.2
14	18.5	20.9	16.4	18.6	21.5	16.0	20.3	23.0	17.9	22.7	25.6	20.4
15	18.4	20.9	16.2	18.7	21.6	16.1	20.4	23.2	18.1	22.8	25.7	20.5
16	18.3	20.8	16.1	18.7	21.7	16.2	20.6	23.4	18.2	23.0	25.8	20.7
17	18.2	20.7	15.9	18.8	21.7	16.3	20.7	23.5	18.4	23.1	26.0	20.8
18	18.0	20.6	15.7	18.9	21.8	16.4	20.7	23.6	18.4	23.2	26.0	21.0
19	17.9	20.6	15.5	19.0	21.8	16.5	20.8	23.7	18.5	23.3	26.1	21.1
20	17.8	20.5	15.3	19.1	21.9	16.6	20.8	23.8	18.5	23.4	26.2	21.2
21	17.7	20.5	15.2	19.2	22.0	16.7	20.8	23.8	18.5	23.5	26.2	21.3
22	17.7	20.5	15.0	19.3	22.1	16.8	20.8	23.8	18.4	23.5	26.3	21.4
23	17.7	20.5	14.9	19.4	22.2	16.9	20.8	23.8	18.3	23.6	26.3	21.4
24	17.7	20.6	14.9	19.5	22.3	17.0	20.7	23.7	18.3	23.6	26.3	21.4
25	17.8	20.7	14.9	19.6	22.4	17.1	20.7	23.7	18.2	23.6	26.3	21.4
26	17.9	20.8	14.9	19.6	22.5	17.2	20.7	23.8	18.2	23.6	26.3	21.3
27	18.0	20.9	15.1	19.7	22.5	17.2	20.8	23.8	18.2	23.6	26.3	21.3
28	18.1	21.0	15.2	19.8	22.6	17.3	20.9	23.9	18.3	23.6	26.4	21.3
29	18.2	21.1	15.4	19.8	22.7	17.3	20.9	23.9	18.4	23.7	26.4	21.2
30	18.3	21.1	15.6				21.1	24.1	18.5	23.7	26.5	21.2
31	18.4	21.2	15.7				21.2	24.2	18.6			

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	MAY			JUN			JUL			AUG		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	23.8	26.5	21.2	27.4	30.2	25.4	29.8	32.7	27.6	29.2	32.2	26.7
02	23.8	26.6	21.3	27.5	30.3	25.4	29.8	32.8	27.6	29.2	32.2	26.7
03	23.9	26.7	21.3	27.6	30.3	25.5	29.8	32.8	27.5	29.2	32.1	26.7
04	24.1	26.9	21.5	27.6	30.4	25.6	29.8	32.8	27.5	29.1	32.1	26.7
05	24.2	27.0	21.6	27.7	30.4	25.6	29.8	32.8	27.4	29.1	32.0	26.7
06	24.4	27.2	21.8	27.7	30.4	25.7	29.7	32.7	27.3	29.1	32.0	26.7
07	24.6	27.3	22.0	27.8	30.4	25.8	29.7	32.7	27.3	29.1	32.0	26.7
08	24.7	27.5	22.3	27.8	30.5	25.8	29.6	32.6	27.2	29.0	31.9	26.7
09	24.9	27.7	22.5	27.9	30.5	25.9	29.5	32.5	27.1	29.0	31.9	26.7
10	25.1	27.9	22.7	28.0	30.5	26.0	29.5	32.4	27.1	29.0	31.9	26.7
11	25.2	28.0	22.9	28.1	30.6	26.1	29.4	32.4	27.0	29.0	31.9	26.7
12	25.4	28.2	23.1	28.2	30.7	26.3	29.3	32.3	26.9	29.0	31.9	26.6
13	25.5	28.3	23.2	28.3	30.8	26.4	29.3	32.2	26.9	28.9	31.9	26.6
14	25.6	28.4	23.3	28.4	30.9	26.5	29.2	32.2	26.8	28.9	31.9	26.5
15	25.7	28.5	23.4	28.5	31.0	26.6	29.2	32.1	26.7	28.9	31.9	26.5
16	25.7	28.6	23.5	28.6	31.1	26.7	29.1	32.1	26.7	28.9	31.9	26.4
17	25.8	28.6	23.5	28.7	31.2	26.8	29.1	32.1	26.7	28.8	31.9	26.4
18	25.8	28.7	23.6	28.8	31.3	26.9	29.1	32.1	26.6	28.8	31.8	26.3
19	25.9	28.7	23.6	28.9	31.4	27.0	29.1	32.1	26.6	28.8	31.8	26.2
20	25.9	28.7	23.7	29.0	31.5	27.1	29.1	32.1	26.6	28.8	31.8	26.2
21	26.0	28.8	23.8	29.0	31.6	27.2	29.1	32.1	26.6	28.7	31.7	26.2
22	26.1	28.9	23.9	29.1	31.7	27.3	29.1	32.1	26.6	28.7	31.7	26.1
23	26.2	29.0	24.0	29.2	31.8	27.4	29.1	32.2	26.6	28.7	31.6	26.1
24	26.3	29.1	24.1	29.3	31.9	27.5	29.2	32.2	26.6	28.6	31.6	26.1
25	26.5	29.3	24.3	29.4	32.0	27.5	29.2	32.2	26.7	28.6	31.5	26.1
26	26.6	29.4	24.5	29.4	32.1	27.6	29.2	32.2	26.7	28.6	31.5	26.1
27	26.8	29.6	24.6	29.5	32.3	27.6	29.2	32.2	26.7	28.5	31.4	26.0
28	26.9	29.7	24.8	29.6	32.4	27.6	29.3	32.3	26.7	28.5	31.4	26.0
29	27.1	29.9	25.0	29.7	32.5	27.7	29.3	32.3	26.7	28.5	31.4	26.0
30	27.2	30.0	25.1	29.7	32.6	27.6	29.3	32.2	26.7	28.4	31.4	25.9
31	27.3	30.1	25.3				29.2	32.2	26.7	28.4	31.3	25.9

AERODROME CLIMATOLOGICAL SUMMARY**AERODROME: SHIMOJISHIMA AIRPORT****PERIOD OF RECORD: 2012-2016****LATITUDE: 24° 49.6'N, LONGITUDE: 125° 8.7'E, ELEVATION ABOVE MSL: 25 ft**

DAILY MEAN,DAILY MAXIMUM AND DAILY MINIMUM AIR TEMPERATURE (°C)												
DAY	SEP			OCT			NOV			DEC		
	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.	MEAN	MAX.	MIN.
01	28.4	31.3	25.9	27.2	30.1	24.8	24.5	27.7	22.1	21.7	24.3	19.3
02	28.3	31.3	25.8	27.1	30.0	24.8	24.4	27.6	22.1	21.5	24.2	19.3
03	28.3	31.3	25.8	27.0	29.8	24.7	24.4	27.5	22.0	21.4	24.1	19.2
04	28.3	31.3	25.8	26.8	29.7	24.6	24.3	27.4	21.9	21.3	23.9	19.1
05	28.2	31.3	25.8	26.7	29.6	24.5	24.2	27.4	21.8	21.3	23.8	19.0
06	28.2	31.2	25.8	26.6	29.5	24.4	24.1	27.3	21.7	21.2	23.7	19.0
07	28.2	31.2	25.8	26.5	29.4	24.3	24.0	27.2	21.7	21.1	23.6	18.9
08	28.2	31.2	25.8	26.4	29.3	24.3	23.9	27.0	21.6	21.0	23.5	18.9
09	28.2	31.2	25.8	26.3	29.1	24.2	23.8	26.9	21.5	20.9	23.4	18.8
10	28.2	31.2	25.8	26.2	29.0	24.1	23.7	26.8	21.4	20.8	23.3	18.7
11	28.2	31.2	25.8	26.1	29.0	24.1	23.6	26.7	21.4	20.7	23.2	18.6
12	28.2	31.2	25.7	26.1	28.9	24.0	23.6	26.6	21.3	20.6	23.1	18.5
13	28.1	31.1	25.7	26.0	28.8	23.9	23.5	26.5	21.3	20.5	22.9	18.4
14	28.1	31.1	25.7	25.9	28.8	23.9	23.4	26.5	21.2	20.4	22.8	18.2
15	28.1	31.1	25.6	25.9	28.7	23.8	23.3	26.4	21.2	20.3	22.7	18.1
16	28.1	31.0	25.6	25.9	28.7	23.7	23.3	26.3	21.1	20.2	22.6	18.0
17	28.0	31.0	25.5	25.8	28.7	23.6	23.2	26.3	21.0	20.1	22.6	17.9
18	28.0	30.9	25.5	25.8	28.7	23.6	23.2	26.2	21.0	20.0	22.5	17.8
19	28.0	30.9	25.5	25.7	28.7	23.5	23.2	26.2	20.9	19.9	22.4	17.6
20	28.0	30.8	25.4	25.7	28.7	23.4	23.1	26.1	20.8	19.8	22.3	17.5
21	27.9	30.8	25.4	25.6	28.7	23.2	23.0	26.0	20.7	19.7	22.2	17.4
22	27.9	30.7	25.4	25.6	28.6	23.1	23.0	25.9	20.6	19.6	22.2	17.3
23	27.9	30.7	25.4	25.5	28.6	23.0	22.9	25.8	20.4	19.5	22.1	17.2
24	27.8	30.6	25.3	25.4	28.5	22.9	22.7	25.6	20.3	19.4	22.0	17.1
25	27.8	30.6	25.3	25.3	28.4	22.8	22.6	25.4	20.2	19.3	21.8	17.0
26	27.7	30.5	25.3	25.2	28.4	22.7	22.5	25.2	20.0	19.1	21.7	16.8
27	27.6	30.4	25.2	25.1	28.3	22.6	22.3	25.0	19.9	19.0	21.6	16.7
28	27.5	30.4	25.1	24.9	28.2	22.5	22.1	24.8	19.7	18.9	21.5	16.6
29	27.4	30.3	25.0	24.8	28.0	22.4	22.0	24.7	19.6	18.8	21.4	16.4
30	27.3	30.2	24.9	24.7	27.9	22.3	21.8	24.5	19.5	18.8	21.3	16.3
31				24.6	27.8	22.2				18.7	21.3	16.3